# Amended Safety Assessment of PEGylated Oils as Used in Cosmetics

Status: Release Date: Panel Meeting Date: Final Amended Report January 18, 2013 December 10-11, 2012

The 2012 Cosmetic Ingredient Review Expert Panel members are: Chairman, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; Ronald A. Hill, Ph.D.; Curtis D. Klaassen, Ph.D.; Daniel C. Liebler, Ph.D.; James G. Marks, Jr., M.D., Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. The CIR Director is F. Alan Andersen, Ph.D. This report was prepared by Christina Burnett, Scientific Analyst/Writer, and Bart Heldreth, Ph.D., Chemist CIR.

# **Cosmetic Ingredient Review**

1101 17th Street, NW, Suite 412 & Washington, DC 20036-4702 & ph 202.331.0651 & fax 202.331.0088 & cirinfo@cir-safety.org

# ABSTRACT

The Cosmetic Ingredient Review Expert Panel (the Panel) considered the safety of PEGylated oils, which function primarily as surfactants, in cosmetic products. The Panel reviewed relevant animal and human data provided in this safety assessment, and concluded that the 130 chemically related PEGylated oils were safe as cosmetic ingredients in the present practices of use and concentration when formulated to be non-irritating.

#### **INTRODUCTION**

In 1997, the Cosmetic Ingredient Review (CIR) published the safety assessment on PEG-30, -33, -35, -36, -40 castor oil and PEG-30 and -40 hydrogenated castor oil with the conclusion "PEG-30, -33, -35, -36, and -40 castor oil are safe for use in cosmetics at concentrations up to 50% and that PEG-30 and -40 hydrogenated castor oil are safe for use at concentrations up to 100%."<sup>1</sup> These PEGylated castor oils function primarily as surfactants in cosmetic products.

Since the original review, numerous additional studies were published related to the noncosmetic use of PEG-35 castor oil and PEG-40 hydrogenated castor oil (trade names Cremophor EL and Cremophor RH, respectively) in drug delivery systems. The few of these studies that appear relevant to assessing the safety of PEGylated oils in cosmetics are summarized in this safety assessment. Overall, single-dose and repeated-dose toxicity, reproductive and developmental toxicity, genotoxicity, carcinogenicity, dermal and ocular irritation, and sensitization and photosensitization data were available.

Because of similarities in chemical structure and cosmetic function, the PEGylated oils listed in Table 1 have been added to the safety assessment of PEG-30 castor oil to comprise a group of 130 cosmetic ingredients.. These cosmetic ingredients include components that have been previously reviewed and concluded to be safe for use by the CIR Expert Panel, most notably the recent safety assessments on plant-derived fatty acid oils, polyethylene glycols (PEGs) with an average of 4 moles of ethylene oxide or greater, and alkyl PEG ethers. The ingredients, their conclusions, a summary of the findings, and published citations are found in Table 2.

# **CHEMISTRY**

The definitions of the PEGylated oils can be found in Table 3.

Just as oils and other PEGylated materials are mixtures, PEGylated oils are mixtures. As most natural source oils are primarily triglycerides (and mono- and diglycerides) and fatty acids, PEGylated oils are primarily PEGylated glycerides, along with some PEGylated fatty acids. PEGylation of glycerides occurs not only as an etherification of the free alcohol groups of the glycerides with ethylene oxide groups, but also as a transesterification, which results in net insertion of PEG groups between the glyceryl and fatty acid components of the glyceride.<sup>2,3</sup> For example, the primary component of castor oil, the ricinoleate triglyceride, is ethoxylated as shown in Figure 1, wherein n is equal to the number of ethylene oxide repeat units and need not be the same at all places of the molecule. It should be noted that n is not equal to X. In other words, wherein the value of X in PEG-X is equal to 2 (e.g., PEG-2 Castor Oil), n is not equal to 2. Instead, X represents the number of stoichiometric equivalents of ethylene oxide that were added to one stoichiometric equivalent of castor oil. Therefore, the sum of all of the different n values in the mixture may be no more than X. Indeed, when one mole of ethylene oxide is reacted with one mole of fatty alcohol, adducts having *no* added ethylene oxide are the predominate material in the mixture.<sup>2</sup> Furthermore, when ethylene oxide reacts with castor oil it is approximately twice as likely that it will react at an ester site versus an alcohol site. Moreover, a percentage (13% in one specific case) of the ethylene oxide simply reacts with other molecules of ethylene oxide, resulting in some polyethylene glycols unattached to glycerides or acid groups.

While castor oil triglycerides are primarily (approximately 87%) composed of ricinoleic acid residues, approximately 7% are oleic acid, 3% are linoleic acid, 2% are palmitic acid, 1% are stearic acid, and a trace are dihydroxysteric acid.<sup>1</sup> Thus, these PEGylated castor oil ingredients, and all of the PEGylated oil ingredients, are rather complex mixtures of structurally related molecules.




Figure 1. Glyceryl triricinoleyl polyethylene glycol

The available free fatty acids found in castor oil, and the other oils, may also be esterified by the ethoxylation process, as seen in Figure 2 (and etherified with ethylene oxide groups if there are any reactive alcohol functionalities on the fatty acids).




Figure 2. Fatty acid esterification

Some of the ingredients in this report have been hydrogenated. For example, hydrogenation of castor oil primarily results in the reduction of the  $\Omega$ -9 unsaturation of ricinoleate triglycerides (and the  $\Omega$ -9 unsaturation of any free ricinoleic fatty acids).<sup>2</sup> Accordingly, hydrogenated castor oil is principally 12-hydroxystearic triglyceride. The resultant ethoxylated triglyceride, therefore, differs from that of PEGylated non-hydrogenated castor oil only in the loss of these double bonds, as seen in Figure 3.




Figure 3. Glyceryl 12-hydroxystearyl polyethylene glycol

#### **Physical and Chemical Properties**

Physical and chemical properties of PEG-30, -33, -35, -36, -40 castor oil and PEG-30 and -40 hydrogenated castor oil can be found in the original safety assessment.<sup>1</sup> A supplier reports that PEG-30,-35, and-40 are pale yellow viscous liquids at 30° C and have a maximum water content of 0.2%.<sup>4</sup> PEG-40 hydrogenated castor oil is reported to be a waxy liquid at 30° C and also has a maximum water content of 0.2%.

### Impurities

PEGs are the condensation products of ethylene oxide and water, with the chain length controlled by number of moles of ethylene oxide that are polymerized. PEGs may contain trace amounts of 1,4-dioxane, a by-product of ethoxylation. 1,4-Dioxane is a known animal carcinogen.<sup>5</sup> FDA has been periodically monitoring the levels of 1,4-dioxane in cosmetic products, and the cosmetic industry reported that it is aware that 1,4-dioxane may be an impurity in PEGs and, thus, uses additional purification steps to remove it from the ingredient before blending into cosmetic formulations.<sup>6,7</sup>

# <u>USE</u>

#### Cosmetic

Table 4a presents the historical and current product formulation data for PEG-30, -33, -35, -36, -40 castor oil and PEG-30 and -40 hydrogenated castor oil. These PEGylated castor oils function primarily as surfactants (emulsifying or solubilizing agents) in cosmetic formulations.<sup>8</sup> According to information supplied to the Food and Drug Administration's (FDA) Voluntary Cosmetic Registration Program (VCRP) database by industry in 1997, PEG-40 hydrogenated castor oil had the most uses at 268, with the majority of the uses reported in leave-on products with a dermal exposure route.<sup>1</sup> The ingredient with the second most uses was PEG-40 castor oil with 170 uses, most in leave-on products with a dermal exposure route. An industry survey reported use concentrations for PEG-40 hydrogenated castor oil and PEG-40 castor oil of  $\leq 10\%$  and  $\leq 5\%$ , respectively. Currently, the FDA's VCRP database indicates that uses have decreased for PEG-30 castor oil, PEG-40 castor oil, and PEG-30 hydrogenated castor oil, with the most significant decrease occurring for PEG-40 castor oil, which now has 95 reported uses.<sup>9</sup> Increases in use are reported for the remaining PEGylated castor oils from the original report. The most significant increase is for PEG-40 hydrogenated castor oil, which now has 2107 reported uses (up from 268 uses). In a recent survey of use concentrations, PEG-40 hydrogenated castor oil had a maximum use concentration range of 7.0 x 10<sup>-5</sup>% to 22%, with 22% reported in leave-on non-coloring hair product.<sup>10</sup> PEG-30 castor oil had a maximum use concentration of 0.1% in a rinse-off non-coloring hair product.

Table 4b presents the current product formulation data for the cosmetic ingredients that were added to the PEGylated oil safety assessment. Currently, the VCRP database indicates that, of the additional ingredients, PEG-60 hydrogenated castor oil has the most uses (349) with the majority in leave-on products with a dermal exposure route.<sup>9</sup> The maximum use concentration range for PEG-60 hydrogenated castor oil was 4.0 x 10<sup>-5</sup>% to 18%, with the 18% reported in leave-on non-coloring hair products.<sup>11</sup> Olive oil PEG-7 esters had the second most reported uses (97). The maximum use concentration range for olive oil PEG-7 esters was 0.05% to 97%, with the 97% reported in a rinse-off (shaving) product.

In some cases, reports of uses were received from the VCRP, but no concentration of use data were available. For example, PEG-33 castor oil is reported to be used in 41 formulations, but no use concentration data were available. In other cases, no reported uses were received from the VCRP, but a use concentration was provided in the industry survey. For example, PEG-25 castor oil was not reported in the VCRP database to be in use, but the industry survey indicated that it is used in leave-on formulations at maximum concentrations ranging from 3%-17%. It should be presumed that PEG-25 castor oil is used in at least one cosmetic formulation.

PEGylated oils were reported to be used in fragrance products, hair sprays, deodorants, and indoor tanning preparations and could possibly be inhaled. For example, PEG-60 castor oil was reported to be used in aerosol hair sprays at maximum concentrations up to 16%. In practice, 95% to 99% of the droplets/particles released from cosmetic sprays have aerodynamic equivalent diameters >10  $\mu$ m, with propellant sprays yielding a greater fraction of droplets/particles below 10  $\mu$ m compared with pump sprays.<sup>12-15</sup> Therefore, most droplets/particles incidentally inhaled from cosmetic sprays would be deposited in the nasopharyngeal and bronchial regions of the respiratory tract and would not be respirable (i.e., they would not enter the lungs) to any appreciable amount.<sup>13,14</sup> There is some evidence indicating that deodorant spray products can release substantially larger fractions of particulates having aerodynamic equivalent diameters in the range considered to be respirable.<sup>14</sup> However, the information is not sufficient to determine whether significantly greater lung exposures result from the use of deodorant sprays, compared to other cosmetic sprays.

The PEGylated oils are not restricted from use in any way under the rules governing cosmetic products in the European Union.<sup>16</sup>

#### Non-Cosmetic

PEG-30 castor oil and PEG-40 hydrogenated castor oil may be used as nonionic surfactants in oral, topical, and parenteral drug delivery systems.<sup>3,4,17-23</sup> PEGylated castor oil derivatives may also be used in animal feeds and textiles.<sup>4</sup>

PEG-30, -33, -35, -36, and -40 castor oil have been approved by the FDA as indirect food additives in adhesives and components of coatings (21 CFR § 175.105 and §175.300) and packaging and food contact surfaces (21 CFR §176.210, §177.2800). PEG-30 and -40 hydrogenated castor oil are approved as direct food additives (21 CFR §73.1) as well as in indirect food additives in packaging and food contact surfaces (21 CFR §177.2800).

# **TOXICOKINETICS**

Toxicokinetics data were available from earlier CIR safety assessments supporting the safety of alkyl PEG ethers and castor oil. These data are summarized in Table 2.

# Absorption, Distribution, Metabolism, Excretion

The disposition of PEG-35 castor oil was determined in 31 cancer patients treated with a 1-h infusion of paclitaxel (87.8 mg PEG-35 castor oil per mg drug).<sup>24</sup> Dose levels of PEG-35 castor oil ranged from 70 to 100 mg/m<sup>2</sup>. Plasma concentrations were measured. Clearance of PEG-35 castor oil appeared to be independent of infusion duration and the administered dose in the range studied (P = 0.797). Exposure measures increased in near proportion to an increase in dose. PEG-35 castor oil had a half-life and clearance of 35.7 ± 18.9 h and 0.216 ± 0.075 L/h, respectively (P < 0.00001). The volume of distribution at steady state was 9.48 ± 2.59 L and indicated limited distribution of the excipient outside of the central compartment. These results were compared to those of the excipient Tween 80, which had a shorter terminal half-life ( $0.607 \pm 0.245$  h) and total plasma clearance ( $7.70 \pm 2.90$  L/h). The other values were similar. The study concluded that use of PEG-35 castor oil as a formulation vehicle could result in drug interaction and excipient-related toxic side effects due to its relatively low rates of elimination.

### **Penetration Enhancement**

A study of the development of a topical gel for treatment of acne vulgaris reports that various types of PEGs are hydrophilic penetration enhancers and are used in topical dermatological preparations.<sup>17</sup> The authors selected PEG-40 hydrogenated castor oil because of its properties as a very hydrophilic, non-ionic solubilizer for fat-soluble vitamins A, D, E, and K, and for its stability and clarity in alcohol solution.

In a study evaluating vehicle effects on in vitro skin permeation of model drugs caffeine and testosterone, apricot kernel oil PEG-6 esters facilitated the flux and diffusivity of caffeine across the stratum corneum, when compared to propylene glycol.<sup>25</sup>

# **TOXICOLOGICAL STUDIES**

#### Acute Toxicity

Dermal and oral acute and repeated dose toxicity data were available from earlier CIR safety assessments supporting the safety of alkyl PEG ethers and castor oil. These data are summarized in Table 2.

#### Intravenous – Non-Human

PEG-X CASTOR OIL

Castor oil with an unspecified number of stoichiometric equivalents of ethylene oxide (generically listed as Cremophor) mixed with dimethyl acetamide (DMA) was evaluated as a vehicle in a diabetes drug.<sup>26</sup> The mixture was composed of 23%-45% DMA/10%-12% Cremophor in water and the dose volume was 1.67 to 3 ml/kg. Groups of 3 New Zealand White rabbits received intravenously the test material, saline, insulin, or N-methyl-2-pyrrolidone (NMP) into the marginal ear vein. Blood was drawn just before injection and again at 0.25, 0.5, 1, 2, 4, and 24 h after injection to determine glycemia values. Glycemia after injection with the DMA/Cremophor mixture remained stable and within the normal range of 3.6 to 5.0 mM. These results were comparable to those for the rabbits that received saline. In addition, the test material did not elicit irritation at the site of injection.

#### PEG-60 HYDROGENATED CASTOR OIL

The toxicity of PEG-60 hydrogenated castor oil was evaluated in male and female Beagle dogs, male and female cynomolgus monkeys, male New Zealand White rabbits, male Hartley guinea pigs, and male Sprague Dawley rats.<sup>27</sup> The test material was injected intravenously to groups of 3 dogs at 0.625, 1.25, 2.5, or 10 mg/kg; in groups of 3 monkeys or 5 rabbits at 50 or 100 mg/5 ml/kg; and in groups of 5 guinea pigs, and 5 rats at 10 or 100

mg/5 ml/kg. Blood pressure was monitored in the dogs before the injection and 10, 30, and 60 min after injection. Blood was taken from all animals to measure plasma histamine levels. In dogs, further histopathological examinations were performed on mast cells in the liver and skin. Clinical signs of toxicity were observed until 60 min after injection in all animals.

In dogs injected with 1.25, 2.5 or 10 mg/kg of the test material, blood pressure decreased and flush, swelling and itching were observed. Additionally, in the 10 mg/kg dose group, a decrease in spontaneous activity was observed. An increase in plasma histamine levels was observed in the 2.5 and 10 mg/kg dose groups. Degranulation was observed after injection in the mast cells of the skin, but not in the liver. No signs of toxicity were observed in monkeys, rabbits, guinea pigs or rats and there was no change in plasma histamine levels. The toxicity of PEG-60 hydrogenated castor oil may be species specific.<sup>27</sup>

# **Repeated Dose Toxicity**

PEG-35 CASTOR OIL

Several in situ rat studies investigated the effects of the use of Cremophor EL (PEG-35 castor oil) as a vehicle in intravenous drugs.<sup>28-31</sup> Reduction of muscle mitochondria, increase in myocardial lipid peroxidation, acidosis, weight loss, and cholestatic effects have been observed at perfusion concentrations of 100  $\mu$ g/L.

# REPRODUCTIVE AND DEVELOPMENTAL TOXICITY

Reproductive and developmental toxicity data were available from earlier CIR safety assessments supporting the safety of PEGS, castor oil, and alkyl PEG ethers. These data are summarized in Table 2.

#### **GENOTOXICITY**

Genotoxicity data were available from earlier CIR safety assessments supporting the safety of castor oil, PEGs, and alkyl PEG ethers. These data are summarized in Table 2.

# PEG-60 HYDROGENATED CASTOR OIL

The genotoxic potential of PEG-60 hydrogenated castor oil was studied in a reverse mutation test in *Salmonella typhimurium* strains TA100, TA98, TA1535, and TA1537 and in *Escherichia coli* strain WP2uvrA, with and without metabolic activation.<sup>32</sup> The test concentrations ranged from 313-5000  $\mu$ g/plate. The positive controls were 9-aminoacridine, sodium azide, 2-(2-furyl)-3-(5-nitro-2-furyl)-acrylamide, and 2-aminoanthracene. No biologically relevant increases in revertant colony numbers were observed in any test strain at any concentration, with or without metabolic activation. Controls yielded expected results. The study concluded that PEG-60 hydrogenated castor oil was not genotoxic.

The research study above also investigated the genotoxic potential of PEG-60 hydrogenated castor oil in a chromosome aberration study with Chinese hamster V79 cells, with and without metabolic activation.<sup>32</sup> The test concentrations ranged from 313-5000  $\mu$ g/ml. The positive controls were mitomycin C and dimethylnitrosamine. The test material without metabolic activation had dose-related inhibition of cell proliferation after 24- and 48-h treatments. With metabolic activation, the test material induced only slight inhibition of cell proliferation even at the highest concentration after 6 h treatment. PEG-60 hydrogenated castor oil did not induce chromosome aberrations at any dose, with or without metabolic activation. The controls yielded expected results. The study concluded that PEG-60 hydrogenated castor oil was not genotoxic.

The same study also researched the genotoxic potential of PEG-60 hydrogenated castor oil in a mouse micronucleus test using BDF1 male and female mice.<sup>32</sup> A dose range finding experiment preceded the main study. In the main study, groups of 5 mice of each sex received single intraperitoneal injections of 2000 mg/kg body weight PEG-60 hydrogenated castor oil. Control groups received physiological saline or mitomycin C. Bone marrow cells were collected at 24, 48, or 72 h. The number of micronucleated erythrocytes in 1000 polychromatic erythrocytes and the number of polychromatic erythrocytes in 1000 erythrocytes were recorded for each mouse. In the dose range-finding study, no deaths occurred. In the main study, no treatment-related mortalities or clinical signs of toxicity were observed. No significant increase of micronucleated polychromatic erythrocytes or significant decrease of the ratio of polychromatic to normochromatic erythrocytes were observed in male or female mice that received the test material. The controls yielded expected results. The study concluded that PEG-60 hydrogenated castor oil was not genotoxic.

# CARCINOGENICITY

Carcinogenicity data were available from earlier CIR safety assessments supporting the safety of PEGs and alkyl PEG ethers. These data are summarized in Table 2.

# **IRRITATION AND SENSITIZATION**

#### Irritation

Irritation data were available from earlier CIR safety assessments supporting the safety of PEGs, mink oil, and plant-derived fatty acid oils. These data are summarized in Table 2.

#### Dermal – Non-Human

# PEG-35 CASTOR OIL

A skin irritation study of a pharmaceutical microemulsion that contained 20% w/w PEG-35 castor oil was performed in male guinea pigs (strain not specified).<sup>33</sup> The hair on the backs of the guinea pigs was removed 24 h before treatment, and the animals were divided into a group with intact skin and a group with skin injury from scarification. These groups were again subdivided into single and multiple applications. There were a total of 5 guinea pigs in each subgroup. All guinea pigs received the test material and a control cream. Single application animals were treated for 24 h and the test sites were inspected for erythema and edema 1, 24, 48, and 72 h after material removal. Multiple-application animals were treated for 24 h, followed by assessment for skin irritation 1 h after material removal, in a total of 7 applications. The test sites were observed for an additional 3 days after the last application. While very slight irritation was observed on average at the 1-h observation point in guinea pigs treated with multiple applications with damaged skin, the average scores were still in the range that was considered to indicate "no irritation". No irritation was observed in any of the single-application animals or in the intact skin of the multiple-application animals. It was concluded that single and multiple applications of the microemulsion that contained 20% w/w PEG-35 castor oil did not cause irritation effects in guinea pigs.

# PEG-40 HYDROGENTATED CASTOR OIL

A dermal irritation test was performed in mice (species and number not described) to investigate the potential irritancy of a microemulsion that contains 20% PEG-40 hydrogenated castor oil.<sup>23</sup> A single dose of 10  $\mu$ l of the test microemulsion was applied to the left ear of the mouse. The right ear served as a control. The mice were observed for development of erythema for 6 days. No signs of irritation were observed in the mice. The authors concluded that the formulation containing 20% PEG-40 hydrogenated castor oil would probably not irritate human skin.

The dermal irritancy potential of a microemulsion gel system that contained 20.66% PEG-40 hydrogenated castor oil as a surfactant was studied in male albino rats using the Draize method.<sup>34</sup> Animals were divided into 3 groups of 6: a negative control (no treatment), a positive control (0.8% aq. formalin), and the test formulation. The rats received a dose of 0.5 g of the formulation on a 5-cm<sup>2</sup> area on the shaved dorsal side daily for 3 consecutive days. Signs of erythema and edema were monitored daily for 3 days. After 3 days, the rats were killed and skin samples were taken for histopathological examination. No signs of irritation were observed in the test formulation. The controls yielded expected results. Histopathological examination found no apparent signs of skin irritation. The study concluded that the test formulation that contained 20.66% PEG-40 hydrogenated castor oil was not a skin irritant.

#### Ocular

# PEG-35 CASTOR OIL

Several different formulations of a potential glaucoma drug in a nanoemulsion were tested for ocular irritation potential.<sup>35</sup> A few of these formulations contained PEG-35 castor oil as a surfactant. Groups of 6 New Zealand albino rabbits received test formulations that contained 0%-13% PEG-35 castor oil. In each rabbit, the right eye received 50  $\mu$ l of the tested formulation, while the left eye was used as a control. The rabbits received the test formulation every 2.5 h through a period of 7.5 h per day for 3 successive days and once on the fourth day. Eyes were examined according to the Draize method 1 and 24 h after the last instillation. The eyelids, cornea, iris, conjunctiva, and anterior chamber were inspected for inflammation or other toxic reactions. The eyes were then stained with fluorescein and examined under UV light to verify possible corneal lesion. A few nanoemulsion formulations that contained up to 13.5% PEG-35 castor oil were found to be non-irritating and tolerated well by the rabbit eye. Cross sections from the corneas of rabbits' eye after application of the tested formulations together with a control section showed that both corneal structure and integrity were unaffected by treatment.

#### Sensitization

Sensitization data were available from earlier CIR safety assessments support the safety of PEGs, mink oil, plant-derived fatty acid oils, and alkyl PEG ethers. These data are summarized in Table 2.

# CLINICAL USE Case Studies

#### PEG-35 CASTOR OIL

A 40-year-old female undergoing chemotherapy treatment for breast cancer had a cutaneous lupus erythematous-like reaction within 24 h of intravenous administration of the drug paclitaxel that contained the diluent, PEG-35 castor oil.<sup>36</sup>

When treatment was switched to a formulation of paclitaxel bound to albumin, without PEG-35 castor oil, no lupuslike reactions were observed. The case study concluded that PEG-35 castor oil induced the lupus-like reaction and suggested that previously reported incidences of lupus-like reaction in chemotherapy patients was from this diluent and not from the chemotherapeutic agent.

#### PEG-7 HYDROGENATED CASTOR OIL

A 73-year-old male was reported to have an eczematous rash on the face and neck after use of a sunscreen lotion.<sup>37</sup> The patient was patch tested with an extended British Contact Dermatitis Society standard series, medicament series, facial series, photoallergic series, and the sunscreen. A positive reaction was elicited only with the patient's sunscreen, both on nonirradiated and irradiated skin. When tested with the individual ingredients of the sunscreen, a positive reaction occurred to 10% PEG-7 hydrogenated castor oil in petrolatum (+ on days 2 and 4). Negative reactions were observed to the remaining sunscreen ingredients.

# PEG-60 HYDROGENATED CASTOR OIL

A 27-year-old male undergoing maintenance chemotherapy for acute myeloblastic leukemia developed a high-grade fever and erythroblastopenia within 6 h of after intravenous administration of the chemotherapy drugs that included enocitabine.<sup>38</sup> The enocitabine product contained PEG-60 hydrogenated castor oil. When enocitabine was administered alone, the same symptoms reoccurred. Co-culturing the patient's bone marrow with enocitabine or PEG-60 hydrogenated castor oil found significant growth inhibition of late erythroid progenitors in the presence of the patient's IgG. The researchers of the study believe that PEG-60 hydrogenated castor oil acted as a hapten and caused the immunological suppression of the growth of erythroid progenitors through a hypersensitive reaction mediated by IgG.

#### **SUMMARY**

This report is a re-review of PEG-30, -33, -35, -36, -40 castor oil and PEG-30 and -40 hydrogenated castor oil that has been expanded to include additional PEGylated castor oils and other PEGylated plant-derived oils. Data from the original report on the PEGylated castor oils have been summarized in Table 2. This summary only contains newly identified information on the original ingredients and the expanded ingredients.

Just as oils and other PEGylated materials are mixtures, PEGylated oils are mixtures. As most natural source oils are primarily triglycerides (and mono- and diglycerides) and fatty acids, PEGylated oils are primarily PEGylated glycerides, along with some PEGylated fatty acids.

PEGs are the condensation products of ethylene oxide and water, with the chain length controlled by number of moles of ethylene oxide that are polymerized. PEGs may contain trace amounts of 1,4-dioxane, a by-product of ethoxylation.

The PEGylated castor oils function primarily as surfactants that function as emulsifying or solubilizing agents in cosmetic formulations. Of the 130 PEGylated oil ingredients described as cosmetic ingredients, only 35 have uses reported by either the FDA's VCRP database or the Personal Care Products Council. Current FDA data indicate that PEG-40 hydrogenated castor oil has the largest number of reported uses, 2107, with a maximum use concentration range of 7.0 x  $10^{-5}$ % to 22%, with the 22% reported in leave-on non-coloring hair products.

PEG-30 castor oil and PEG-40 hydrogenated castor oil may be used as nonionic surfactants in oral, topical, and parenteral drug delivery systems. PEGylated castor oil derivatives may also be used in animal feeds and textiles. PEG-30, -33, -35, -36, and -40 castor oil have been approved by the FDA as indirect food additives in adhesives and PEG-30 and -40 hydrogenated castor oil are approved as direct and indirect food additives.

Various types of PEGs are hydrophilic penetration enhancers and are used in topical dermatological preparations.

Unspecified PEG castor oil did not elicit irritation at the site of injection in rabbits when evaluated as a vehicle in an intravenous drug.

The toxicity of PEG-60 hydrogenated castor oil was evaluated in male and female Beagle dogs, male and female cynomolgus monkeys, male New Zealand White rabbits, male Hartley guinea pigs, and male Sprague Dawley rats. Toxicity, including decreased blood pressure, flush, swelling, itching, and increase histamine levels, was observed in dogs injected with 1.25, 2.5 or 10 mg/kg of the test material. No signs of toxicity were observed in monkeys, rabbits, guinea pigs or rats.

Several rat studies investigated the effects of the use of Cremophor EL (PEG-35 castor oil) as a vehicle in intravenous drugs. Effects on cardiac and skeletal function have been observed at a concentration of  $100 \mu g/L$ .

The genotoxic potential of PEG-60 hydrogenated castor oil was studied in a reverse mutation test, in a chromosome aberration study, and in a mouse micronucleus test: the studies concluded that PEG-60 hydrogenated castor oil was not genotoxic.

A study of single and multiple applications of a microemulsion that contained 20% w/w PEG-35 castor oil did not cause irritation effects in guinea pigs. A dermal irritation test performed in mice concluded that a formulation containing 20% PEG-40 hydrogenated castor oil would probably not irritate human skin. A study of the dermal irritancy potential of a microemulsion gel system in rats concluded that the test formulation containing 20.66% PEG-40 hydrogenated castor oil was not a skin irritant. Nanoemulsions containing up to 13.5% PEG-35 castor oil were non-irritating in rabbit eyes.

Case studies of adverse events occurring in cancer patients were reported following use of chemotherapy drugs that contained PEG-35 castor oil and PEG-60 hydrogenated castor oil. Another case study reported an adverse dermatological event following use of a sunscreen containing PEG-7 hydrogenated castor oil.

# **DISCUSSION**

Overall, toxicokinetics, single-dose and repeated-dose toxicity, reproductive and developmental toxicity, genotoxicity, carcinogenicity, dermal and ocular irritation, and sensitization data were available for PEG castor oils. Similarly, extensive supportive data exist for the components of the PEGylated oils, which are complex mixtures of the etherification and transesterifcation products of fatty acid glycerides and fatty acids derived from the identified plant source with the equivalents of ethylene oxide to reach the desired PEG length. PEG compounds will be present unattached to glycerides or fatty acid groups. Because of this unique chemistry, the Panel determined that the available data in previous safety assessments of PEGs and of plant-derived fatty acids supported the safety of PEGylated oils in a "read-across" fashion.

The Panel expressed concern regarding the possible presence of ethylene oxide and trace amounts of 1,4dioxane as impurities in any cosmetic ingredient containing a PEG moiety. They stressed that the cosmetic industry should continue to use the necessary purification procedures to remove these impurities from the ingredient before blending it into cosmetic formulations.

The Panel also expressed concern regarding pesticide residues and heavy metals that may be present in botanical ingredients. They stressed that the cosmetics industry should continue to use the necessary procedures to limit these impurities in the ingredient before blending into cosmetic formulation.

A safety assessment of diethylene glycol (aka PEG-2) has not been completed. A safety assessment of the PEGs group of ingredients, however, includes PEG-4, which was found to be safe for use in cosmetics. Since PEG-4 is a mixture that includes PEG-2, PEG-2 also would be safe for use in cosmetics.

The Panel recognized that some of these ingredients can enhance the penetration of other ingredients through the skin. They cautioned that care should be taken in formulating cosmetic products that may combine these ingredients with any ingredients whose safety was based on their lack of dermal absorption, or when dermal absorption was a concern.

The Panel looked at changes in the pattern of use and concentration of use since the original safety assessment of PEG castor oils and noted that the earlier safety assessment had specified safe up to 50% use concentration. As PEG castor oils and the rest of the PEGylated oils now are used at concentrations below 50% in leave-on products, the Panel determined that concentration limits need no longer be specified. Products using these ingredients should be formulated to be non-irritating

The Panel noted that adverse reactions have been reported for PEG-35 castor oil used as a vehicle in intravenous drugs. Because this route of exposure does not occur from cosmetic use, the Panel considered that such data were not relevant to assessing the safety of the ingredient in cosmetics.

The Panel discussed the issue of incidental inhalation exposure from fragrance products, hair sprays, deodorants, and indoor tanning preparations. There were no inhalation toxicity data available. These ingredients are reportedly used at concentrations up to 16% in cosmetic products that may be aerosolized (i.e., cosmetic sprays) and in other products that may become airborne (i.e., cosmetic powders). The Panel noted that 95% - 99% of

droplets/particles produced in cosmetic aerosols would not be respirable to any appreciable amount. Coupled with the small actual exposure in the breathing zone and the concentrations at which the ingredients are used, the available information indicates that incidental inhalation would not be a significant route of exposure that might lead to local respiratory or systemic effects. In addition, the Panel considered other data available to characterize the potential for PEGylated Oils and related ingredients to cause reproductive, developmental, and carcinogenic effects in animals (as described in the original safety assessment of PEG castor oils) and dermal irritation and sensitization. They noted the low systemic toxicity at high doses in several acute and repeat exposure studies, little or no irritation or sensitization in multiple tests of dermal exposure and in clinical studies, little or no irritation in multiple ocular tests, the absence of genotoxicity in bacterial and mammalian test systems, and no reproductive or developmental toxicity or carcinogenicity in animal feeding studies. A detailed discussion and summary of the Panel's approach to evaluating incidental inhalation exposures to ingredients in cosmetic products is available at <a href="http://www.cir-safety.org/cir-findings.">http://www.cir-safety.org/cir-findings.</a>

# **CONCLUSION**

The CIR Expert Panel concluded that the 130 PEGylated oil ingredients listed below are safe in the present practices of use and concentration in cosmetics when formulated to be non-irritating. This conclusion supersedes the earlier conclusion issued by the Expert Panel in 1997.

PEG-2 Castor Oil\* PEG-3 Castor Oil\* PEG-4 Castor Oil\* PEG-5 Castor Oil\* PEG-8 Castor Oil\* PEG-9 Castor Oil PEG-10 Castor Oil\* PEG-11 Castor Oil\* PEG-15 Castor Oil\* PEG-16 Castor Oil\* PEG-20 Castor Oil\* PEG-25 Castor Oil PEG-26 Castor Oil\* PEG-29 Castor Oil\* PEG-30 Castor Oil PEG-33 Castor Oil PEG-35 Castor Oil PEG-36 Castor Oil PEG-40 Castor Oil PEG-44 Castor Oil\* PEG-50 Castor Oil PEG-54 Castor Oil\* PEG-55 Castor Oil\* PEG-60 Castor Oil PEG-75 Castor Oil\* PEG-80 Castor Oil\* PEG-100 Castor Oil\* PEG-200 Castor Oil\* PEG-18 Castor Oil Dioleate\* PEG-60 Castor Oil Isostearate\* PEG-2 Hydrogenated Castor Oil PEG-5 Hydrogenated Castor Oil\* PEG-6 Hydrogenated Castor Oil\* PEG-7 Hydrogenated Castor Oil PEG-8 Hydrogenated Castor Oil\* Hydrogenated Castor Oil PEG-8 Esters\* PEG-10 Hydrogenated Castor Oil PEG-16 Hydrogenated Castor Oil PEG-20 Hydrogenated Castor Oil PEG-25 Hydrogenated Castor Oil PEG-30 Hydrogenated Castor Oil PEG-35 Hydrogenated Castor Oil PEG-40 Hydrogenated Castor Oil PEG-45 Hydrogenated Castor Oil PEG-50 Hydrogenated Castor Oil PEG-54 Hydrogenated Castor Oil\* PEG-55 Hydrogenated Castor Oil\* PEG-60 Hydrogenated Castor Oil

PEG-65 Hydrogenated Castor Oil\* PEG-80 Hydrogenated Castor Oil PEG-100 Hydrogenated Castor Oil PEG-200 Hydrogenated Castor Oil\* PEG-5 Hydrogenated Castor Oil Isostearate\* PEG-10 Hydrogenated Castor Oil Isostearate\* PEG-15 Hydrogenated Castor Oil Isostearate\* PEG-20 Hydrogenated Castor Oil Isostearate\* PEG-30 Hydrogenated Castor Oil Isostearate\* PEG-40 Hydrogenated Castor Oil Isostearate\* PEG-50 Hydrogenated Castor Oil Isostearate\* PEG-58 Hydrogenated Castor Oil Isostearate\* PEG-20 Hydrogenated Castor Oil Laurate\* PEG-30 Hydrogenated Castor Oil Laurate\* PEG-40 Hydrogenated Castor Oil Laurate\* PEG-50 Hydrogenated Castor Oil Laurate\* PEG-60 Hydrogenated Castor Oil Laurate\* PEG-20 Hydrogenated Castor Oil PCA Isostearate\* PEG-30 Hydrogenated Castor Oil PCA Isostearate\* PEG-40 Hydrogenated Castor Oil PCA Isostearate PEG-60 Hydrogenated Castor Oil PCA Isostearate\* PEG-50 Hydrogenated Castor Oil Succinate Potassium PEG-50 Hydrogenated Castor Oil Succinate\* Sodium PEG-50 Hydrogenated Castor Oil Succinate\* PEG-5 Hydrogenated Castor Oil Triisostearate\* PEG-10 Hydrogenated Castor Oil Triisostearate\* PEG-15 Hydrogenated Castor Oil Triisostearate\* PEG-20 Hydrogenated Castor Oil Triisostearate PEG-30 Hydrogenated Castor Oil Triisostearate\* PEG-40 Hydrogenated Castor Oil Triisostearate PEG-50 Hydrogenated Castor Oil Triisostearate\* PEG-60 Hydrogenated Castor Oil Triisostearate\* Adansonia Digitata Seed Oil PEG-8 Esters\* Almond Oil PEG-6 Esters\* Almond Oil PEG-8 Esters \* Apricot Kernel Oil PEG-6 Esters Apricot Kernel Oil PEG-8 Esters\* Apricot Kernel Oil PEG-40 Esters\* Argan Oil PEG-8 Esters\* Avocado Oil PEG-8 Esters\* Avocado Oil PEG-11 Esters Bertholletia Excelsa Seed Oil PEG-8 Esters\* Borage Seed Oil PEG-8 Esters\* Coconut Oil PEG-10 Esters Corn Oil PEG-6 Esters\* Corn Oil PEG-8 Esters\* Grape Seed Oil PEG-8 Esters Hazel Seed Oil PEG-8 Esters\*

Hydrogenated Palm/Palm Kernel Oil PEG-6 Esters Jojoba Oil PEG-8 Esters Jojoba Oil PEG-150 Esters\* Linseed Oil PEG-8 Esters\* Macadamia Ternifolia Seed Oil PEG-8 Esters\* Mango Seed Oil PEG-70 Esters\* Mink Oil PEG-13 Esters\* Olive Oil PEG-6 Esters\* Olive Oil PEG-7 Esters Olive Oil PEG-8 Esters\* Olive Oil PEG-10 Esters Orbignya Oleifera Seed Oil PEG-8 Esters\* Palm Oil PEG-8 Esters\* Passiflora Edulis Seed Oils PEG-8 Esters\* Peanut Oil PEG-6 Esters\* PEG-75 Crambe Abyssinica Seed Oil\* PEG-75 Meadowfoam Oil Pumpkin Seed Oil PEG-8 Esters\* Rapeseed Oil PEG-3 Esters\* Rapeseed Oil PEG-20 Esters\* Raspberry Seed Oil PEG-8 Esters\* Safflower Seed Oil PEG-8 Esters\*

Schinziophyton Rautanenii Kernel Oil PEG-8 Esters\* Sclerocarya Birrea Seed Oil PEG-8 Esters\* Sesame Seed Oil PEG-8 Esters\* Soybean Oil PEG-8 Esters\* Soybean Oil PEG-20 Esters\* Soybean Oil PEG-36 Esters\* Sunflower Seed Oil PEG-8 Esters\* Sweet Almond Oil PEG-8 Esters\* Watermelon Seed Oil PEG-8 Esters\* Wheat Germ Oil PEG-40 Butyloctanol Esters\* Wheat Germ Oil PEG-8 Esters\*

\*Not in current use. Were ingredients in this group not in current use to be used in the future, the expectation is that they would be used in product categories and at concentrations comparable to others in this group.

# Table 1. PEGylated Oils

PEG-2 Castor Oil PEG-3 Castor Oil PEG-4 Castor Oil PEG-5 Castor Oil PEG-8 Castor Oil PEG-9 Castor Oil PEG-10 Castor Oil PEG-11 Castor Oil PEG-15 Castor Oil PEG-16 Castor Oil PEG-20 Castor Oil PEG-25 Castor Oil PEG-26 Castor Oil PEG-29 Castor Oil PEG-30 Castor Oil PEG-33 Castor Oil PEG-35 Castor Oil PEG-36 Castor Oil PEG-40 Castor Oil PEG-44 Castor Oil PEG-50 Castor Oil PEG-54 Castor Oil PEG-55 Castor Oil PEG-60 Castor Oil PEG-75 Castor Oil PEG-80 Castor Oil PEG-100 Castor Oil PEG-200 Castor Oil PEG-18 Castor Oil Dioleate PEG-60 Castor Oil Isostearate PEG-2 Hydrogenated Castor Oil PEG-5 Hydrogenated Castor Oil PEG-6 Hydrogenated Castor Oil PEG-7 Hydrogenated Castor Oil PEG-8 Hydrogenated Castor Oil Hydrogenated Castor Oil PEG-8 Esters PEG-10 Hydrogenated Castor Oil PEG-16 Hydrogenated Castor Oil PEG-20 Hydrogenated Castor Oil PEG-25 Hydrogenated Castor Oil PEG-30 Hydrogenated Castor Oil PEG-35 Hydrogenated Castor Oil PEG-40 Hydrogenated Castor Oil PEG-45 Hydrogenated Castor Oil PEG-50 Hydrogenated Castor Oil PEG-54 Hydrogenated Castor Oil PEG-55 Hydrogenated Castor Oil PEG-60 Hydrogenated Castor Oil PEG-65 Hydrogenated Castor Oil PEG-80 Hydrogenated Castor Oil PEG-100 Hydrogenated Castor Oil PEG-200 Hydrogenated Castor Oil PEG-5 Hydrogenated Castor Oil Isostearate PEG-10 Hydrogenated Castor Oil Isostearate PEG-15 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate PEG-30 Hydrogenated Castor Oil Laurate PEG-40 Hydrogenated Castor Oil Laurate PEG-50 Hydrogenated Castor Oil Laurate PEG-60 Hydrogenated Castor Oil Laurate PEG-20 Hydrogenated Castor Oil PCA Isostearate PEG-30 Hydrogenated Castor Oil PCA Isostearate PEG-40 Hydrogenated Castor Oil PCA Isostearate

### **TABLES AND FIGURES**

PEG-60 Hydrogenated Castor Oil PCA Isostearate PEG-50 Hydrogenated Castor Oil Succinate Potassium PEG-50 Hydrogenated Castor Oil Succinate Sodium PEG-50 Hydrogenated Castor Oil Succinate PEG-5 Hydrogenated Castor Oil Triisostearate PEG-10 Hydrogenated Castor Oil Triisostearate PEG-15 Hydrogenated Castor Oil Triisostearate PEG-20 Hydrogenated Castor Oil Triisostearate PEG-30 Hydrogenated Castor Oil Triisostearate PEG-40 Hydrogenated Castor Oil Triisostearate PEG-50 Hydrogenated Castor Oil Triisostearate PEG-60 Hydrogenated Castor Oil Triisostearate Adansonia Digitata Seed Oil PEG-8 Esters Almond Oil PEG-6 Esters Almond Oil PEG-8 Esters Apricot Kernel Oil PEG-6 Esters Apricot Kernel Oil PEG-8 Esters Apricot Kernel Oil PEG-40 Esters Argan Oil PEG-8 Esters Avocado Oil PEG-8 Esters Avocado Oil PEG-11 Esters Bertholletia Excelsa Seed Oil PEG-8 Esters Borage Seed Oil PEG-8 Esters Coconut Oil PEG-10 Esters Corn Oil PEG-6 Esters Corn Oil PEG-8 Esters Grape Seed Oil PEG-8 Esters Hazel Seed Oil PEG-8 Esters Hydrogenated Palm/Palm Kernel Oil PEG-6 Esters Jojoba Oil PEG-8 Esters Jojoba Oil PEG-150 Esters Linseed Oil PEG-8 Esters Macadamia Ternifolia Seed Oil PEG-8 Esters Mango Seed Oil PEG-70 Esters Mink Oil PEG-13 Esters Olive Oil PEG-6 Esters Olive Oil PEG-7 Esters Olive Oil PEG-8 Esters Olive Oil PEG-10 Esters Orbignya Oleifera Seed Oil PEG-8 Esters Palm Oil PEG-8 Esters Passiflora Edulis Seed Oils PEG-8 Esters Peanut Oil PEG-6 Esters PEG-75 Crambe Abyssinica Seed Oil PEG-75 Meadowfoam Oil Pumpkin Seed Oil PEG-8 Esters Rapeseed Oil PEG-3 Esters Rapeseed Oil PEG-20 Esters Raspberry Seed Oil PEG-8 Esters Safflower Seed Oil PEG-8 Esters Schinziophyton Rautanenii Kernel Oil PEG-8 Esters Sclerocarya Birrea Seed Oil PEG-8 Esters Sesame Seed Oil PEG-8 Esters Soybean Oil PEG-8 Esters Sovbean Oil PEG-20 Esters Soybean Oil PEG-36 Esters Sunflower Seed Oil PEG-8 Esters Sunflower Seed Oil PEG-32 Esters Sweet Almond Oil PEG-8 Esters Watermelon Seed Oil PEG-8 Esters Wheat Germ Oil PEG-40 Butyloctanol Esters Wheat Germ Oil PEG-8 Esters

# Table 2. Summaries of previous CIR safety assessments.

Table 2. Summaries of previous CIR Ingredient(s)	Conclusion	Summary	Reference	
PEGylated Castor Oils	PEG-30, -33, -35, -36, and -40 castor oil are safe for use in cosmetics at concentrations up to 50% and PEG- 30 and -40 hydrogenated castor oil are safe for use at concentrations up to 100%	PEG Castor Oils and PEG Hydrogenated Castor Oils are used as skin conditioning agents and as surfactants (emulsifying and/or solubilizing agents). Results from animal studies indicate very high acute LD <sub>50</sub> values. Repeated exposure studies of PEG-30 Castor Oil and PEG-35 Castor Oil with intravenous exposure of 0.5 ml/kg produced some oxidoped of toxicity in dogs, but intramuscular injection	1	
		evidence of toxicity in dogs, but intramuscular injection with 1 ml of 50% PEG-35 Castor Oil and oral studies with up to 5% PEG-40 Castor Oil and PEG-40 Hydrogenated Castor Oil were negative. No ocular irritation was observed in studies in rabbits. Some irritation was observed in animals when applied undiluted, but no sensitization was found on challenge in guinea-pig studies using up to 50% PEG-35 Castor Oil. No evidence of developmental toxicity was seen in mice and rat feeding studies at up to 100,000 ppm. These ingredients, tested as vehicle controls, produced no mutagenic or carcinogenic effect. Clinical data were		
		generally negative for irritation and sensitization.		
Ricinus Communis (Castor) Oil and Hydrogenated Castor Oil	Safe for use in cosmetics in the present practices of use and concentration	Castor oil, its salts and esters function primarily as skin- conditioning agents, emulsion stabilizers, and surfactants in cosmetics. The principle component of castor oil, ricinoleic acid, penetrated rat skin at only 5% of applied material. These ingredients are not acute or repeated dose toxicants at concentrations up to 10%. Undiluted castor oil was an irritant in several animal studies. Castor oil was not genotoxic in bacterial (up to 10,000 µg/plate) or mammalian test systems (up to 10%). No dose-related reproductive toxicity was found in mice fed up to 10% castor oil for 13 weeks. Castor oil is not a significant skin irritant, sensitizer, or photosensitizer in human clinical tests, but it was a mild ocular irritant.	39	
Plant-Derived Fatty Acid Oils	Safe for use in cosmetics in the	Oils are used in a wide variety of cosmetic products for	40	
	present practices of use and concentration	their skin conditioning, occlusive, emollient, and moisturizing properties. Undiluted, technical grade, Arachis Hypogaea (Peanut) Oil was moderately irritating to rabbits and guinea pig skin, and 5% aq. solutions of a bar soap containing 13% sodium cocoate had irritation scores of 1.6-4.0/8 in animal studies. However, the remaining animal and clinical irritation and/or sensitization studies conducted on a large number of the oils included in the safety assessment report, primarily in formulation, did not report any significant irritation or sensitization reactions, indicating that refined oils derived from plants are not ocular or dermal irritants or sensitizers.	41	
Triethylene Glycol and Polyethylene Glycols (PEGs) ≥ 4	Safe for use in cosmetics in the present practices of use and concentration	PEGS function primarily as binders, humectants, and solvents in cosmetic ingredients. In general, PEGs are not oral toxicants, with acute oral LD <sub>50</sub> values in rodents ranging from 15 to 22 g/kg. Minimal dermal irritation and sensitization with undiluted PEGs has been observed. PEGs are not genotoxic (up to ~5700 mg/kg/day in a rat dominant lethal assay) or carcinogenic (up to 0.25 ml/week in a rat subcutaneous injection study). PEGs are not reproductive or developmental toxicants at doses up to 6.78 g/kg in mice. Use of antimicrobial creams with a PEG vehicle was associated with renal toxicity when applied to burned skin, but studies of extensively tape stripped skin demonstrated that the levels of PEGs that could penetrate in a worst case analysis are >100 times less than the renal toxicity no observable effect level of 1.1 g/kg/day, providing a margin of safety.		

# Table 2. Summaries of previous CIR safety assessments

Ingredient(s)	Conclusion	Summary	Reference 42			
Simmondsia Chinensis (Jojoba) Seed Oil	Safe for use in cosmetics in the present practices of use and concentration	Simmondsia Chinensis (Jojoba) Seed Oil and the hydrogenated oil function primarily as hair and skin conditioning agents. The oil was not an acute oral toxicant to mice or rats (LD <sub>50</sub> generally greater than 5.0 g/kg). The wax was not toxic when applied dermally at doses up to 0.5g/kg to the shaved backs of guinea pigs in repeated exposure tests. Simmondsia Chinensis (Jojoba) Seed Oil may be a slight ocular irritant. None of the tested ingredients were genotoxic (up to 100 mg/plate) and there were no structural alerts for carcinogenicity. No carcinogenicity, reproductive or developmental toxicity data were available. In clinical tests, Simmondsia Chinensis (Jojoba) Seed Oil (up to 100%) was neither a significant dermal irritant, nor a sensitizer. Simmondsia Chinensis (Jojoba) Seed Oil (up to 20%) and Jojoba Alcohol (up to 100%) were not phototoxic.				
Mink Oil	Safe for use in cosmetics in the present practices of use and concentration	Mink oil functions primarily as a hair-conditioning agent, skin-conditioning agent, and surfactant. This ingredient does not absorb significant UVA or UVB radiation. Mink oil is not an acute oral toxicant (LD <sub>50</sub> > 64 cc/kg) in rats. Non-human test data indicate that mink oil is not a dermal or ocular irritant or a dermal sensitizer up to 50%. No irritation was observed in clinical studies of mink oil up to 2.8%, although some transient irritation was noted in exaggerated-use studies. Because mink oil is a mixture of glycerides, namely triglycerides, it may enhance the penetration of other chemicals.	43			
Akyl PEG Ethers	Safe for use in cosmetics in the present practices of use and concentration when formulated to be non-irritating	These ingredients primarily function in cosmetics as surfactants, and some have additional functions as skin conditioning agents, fragrance ingredients, and emulsion stabilizers. Alkyl PEG ethers are readily absorbed through the skin of guinea pigs and rats and through the intestinal mucosa of rats, and they are quickly eliminated from the body through the urine, feces, and expired air. Some alkyl PEG ethers, such as ceteareths and oleths, have been reported to enhance the penetration of certain compounds through the skin. Acute oral toxicity data were available for with the LD <sub>50</sub> ranging from 1 mg/kg to >10,000 mg/kg, while dermally, the data available indicated the LD <sub>50</sub> values were mostly >2000 mg/kg for these families of ingredients. Multiple repeated dose feeding studies have been performed. These ingredients were not carcinogenic at concentrations up to 1% in diet. Most of the alkyl PEG ethers produced ocular irritation at 1000 mg/kg/day and greater in studies with animals; however they were not sensitizers in guinea pigs. These ingredients were not reproductive or developmental toxicants and were not genotoxic in in vivo or in vitro assays. In clinical studies, many of the alkyl PEG ethers were irritants but not sensitizers.	44			

Table 3. Names, CAS registry numbers, and definitions of the PEGylated Oil ingredients

Ingredient CAS No.	<b>Definition</b> <sup>8</sup> ( <i>italicized text has been generated by CIR</i> )
PEGylated Castor Oils & PEG	ylated Hydrogenated Castor Oils
PEG-2 Castor Oil	PEG-2 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil, with an average of 2 moles of
61791-12-6 (generic to any	ethylene oxide. PEG-2 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
number PEG Castor Oil, i.e. PEG-X Castor Oil)	and fatty acids from castor oil, with two equivalents of ethylene oxide.
PEG-3 Castor Oil	PEG-3 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 3 moles of
61791-12-6 (generic)	ethylene oxide. PEG-3 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with three equivalents of ethylene oxide.
PEG-4 Castor Oil	PEG-4 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 4 moles of
61791-12-6 (generic)	ethylene oxide. <i>PEG-4 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides and fatty acids from castor oil, with four equivalents of ethylene oxide.</i>
PEG-5 Castor Oil	PEG-5 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 5 moles of
61791-12-6 (generic)	ethylene oxide. PEG-5 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with five equivalents of ethylene oxide.
PEG-8 Castor Oil	PEG-8 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 8 moles of
61791-12-6 (generic)	ethylene oxide. PEG-8 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides and fatty acids from castor oil, with eight equivalents of ethylene oxide.
PEG-9 Castor Oil	PEG-9 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 9 moles of
61791-12-6 (generic)	ethylene oxide. PEG-9 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with nine equivalents of ethylene oxide.
PEG-10 Castor Oil	PEG-10 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 10 moles of
61791-12-6 (generic)	ethylene oxide. PEG-10 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
PEG-11 Castor Oil	and fatty acids from castor oil, with ten equivalents of ethylene oxide. PEG-11 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 11 moles of
61791-12-6 (generic)	ethylene oxide. <i>PEG-11 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides</i>
(generic)	and fatty acids from castor oil, with eleven equivalents of ethylene oxide.
PEG-15 Castor Oil	PEG-15 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 15 moles of
61791-12-6 (generic)	ethylene oxide. PEG-15 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with fifteen equivalents of ethylene oxide.
PEG-16 Castor Oil 61791-12-6 (generic)	PEG-16 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 16 moles of ethylene oxide. <i>PEG-16 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides</i>
(generic)	and fatty acids from castor oil, with sixteen equivalents of ethylene oxide.
PEG-20 Castor Oil	PEG-20 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 20 moles of
61791-12-6 (generic)	ethylene oxide. PEG-20 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with twenty equivalents of ethylene oxide.
PEG-25 Castor Oil 61791-12-6 (generic)	PEG-25 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 25 moles of ethylene oxide. <i>PEG-25 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides</i>
01791-12-0 (generic)	and fatty acids from castor oil, with twenty-five equivalents of ethylene oxide.
PEG-26 Castor Oil	PEG-26 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 26 moles of
61791-12-6 (generic)	ethylene oxide. PEG-26 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with twenty-six equivalents of ethylene oxide.
PEG-29 Castor Oil 61791-12-6 (generic)	PEG-29 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 29 moles of athylene avide. <i>PEC</i> 20 Castor Oil is a mixture of the atherification and attrification products of actes oil absorbed
01791-12-0 (generic)	ethylene oxide. <i>PEG-29 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides and fatty acids from castor oil, with twenty-nine equivalents of ethylene oxide.</i>
PEG-30 Castor Oil	PEG-30 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 30 moles of
61791-12-6 (generic)	ethylene oxide. PEG-30 Castor Oil is a mixture of the etherification product of castor oil glycerides and the
	esterification product of the fatty acids from castor oil, with one end of a polyethylene glycol chain, averaging thirty
	ethylene glycol repeat units in length.
PEG-33 Castor Oil 61791-12-6 (generic)	PEG-33 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 33 moles of ethylene oxide. <i>PEG-33 Castor Oil is a mixture of the etherification product of castor oil glycerides and the</i>
of type 12 o (generic)	esterification product of the fatty acids from castor oil, with one end of a polyethylene glycol chain, averaging thirty-
	three ethylene glycol repeat units in length.
PEG-35 Castor Oil	PEG-35 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 35 moles of
61791-12-6 (generic)	ethylene oxide. PEG-35 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
PEG-36 Castor Oil	and fatty acids from castor oil, with thirty-five equivalents of ethylene oxide. PEG-36 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 36 moles of
61791-12-6 (generic)	ethylene oxide. <i>PEG-36 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides</i>
(generic)	and fatty acids from castor oil, with thirty-six equivalents of ethylene oxide.
PEG-40 Castor Oil	PEG-40 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 40 moles of
61791-12-6 (generic)	ethylene oxide. PEG-40 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
DEC 44 Cr ( 01	and fatty acids from castor oil, with forty equivalents of ethylene oxide.
PEG-44 Castor Oil 61791-12-6 (generic)	PEG-44 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 44 moles of ethylene oxide. <i>PEG-44 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides</i>
01/)1-12-0 (generic)	and fatty acids from castor oil, with forty-four equivalents of ethylene oxide.
PEG-50 Castor Oil	PEG-50 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 50 moles of
61791-12-6 (generic)	ethylene oxide. PEG-50 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
220.440	and fatty acids from castor oil, with fifty equivalents of ethylene oxide.
PEG-54 Castor Oil	PEG-54 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 54 moles of athylene avide. <i>BEC</i> 54 Castor Oil is a mixture of the atherification and attrification products of actes oil absorbed
61791-12-6 (generic)	ethylene oxide. PEG-54 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides and fatty acids from castor oil, with fifty-four equivalents of ethylene oxide.
	and the second

# Table 3. Names, CAS registry numbers, and definitions of the PEGylated Oil ingredients

Ingredient CAS No.	Definition <sup>8</sup> ( <i>italicized text has been generated by CIR</i> )
PEG-55 Castor Oil	PEG-55 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 55 moles of
61791-12-6 (generic)	ethylene oxide. PEG-55 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
	and fatty acids from castor oil, with fifty-five equivalents of ethylene oxide.
PEG-60 Castor Oil	PEG-60 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 60 moles of
61791-12-6 (generic)	ethylene oxide. <i>PEG-60 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides and fatty acids from castor oil, with sixty equivalents of ethylene oxide.</i>
PEG-75 Castor Oil	PEG-75 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 75 moles of
61791-12-6 (generic)	ethylene oxide. <i>PEG-75 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides</i>
01/91-12-0 (generic)	and fatty acids from castor oil, with seventy-five equivalents of ethylene oxide.
PEG-80 Castor Oil	PEG-80 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 80 moles of
61791-12-6 (generic)	ethylene oxide. PEG-80 Castor Oil is a mixture of the etherification and esterification products of castor oil glycerides
original and a generation	and fatty acids from castor oil, with eighty equivalents of ethylene oxide.
PEG-100 Castor Oil	PEG-100 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 100 moles
61791-12-6 (generic)	of ethylene oxide. PEG-100 Castor Oil is a mixture of the etherification and esterification products of castor oil
<u> </u>	glycerides and fatty acids from castor oil, with one-hundred equivalents of ethylene oxide.
PEG-200 Castor Oil	PEG-200 Castor Oil is a polyethylene glycol derivative of Ricinus Communis (Castor) Oil with an average of 200 moles
61791-12-6 (generic)	of ethylene oxide. PEG-200 Castor Oil is a mixture of the etherification and esterification products of castor oil
	glycerides and fatty acids from castor oil, with two hundred equivalents of ethylene oxide.
Diesters	
PEG-18 Castor Oil Dioleate	PEG-18 Castor Oil Dioleate is the oleic acid diester of ethoxylated castor oil in which the average ethoxylation value is 18.
PEG-60 Castor Oil Isostearate	PEG-60 Castor Oil Isostearate is the ester of Isostearic Acid and PEG-60 Castor Oil.
Hydrogenated	
PEG-2 Hydrogenated Castor	PEG-2 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 2
Oil	moles of ethylene oxide. PEG-2 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of
61788-85-0 (generic)	hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with two equivalents of ethylene oxide.
PEG-5 Hydrogenated Castor	PEG-5 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 5
Oil	moles of ethylene oxide. PEG-5 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of
61788-85-0 (generic)	hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with five equivalents of ethylene oxide.
PEG-6 Hydrogenated Castor	PEG-6 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 6
Oil	moles of ethylene oxide. PEG-6 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of
61788-85-0 (generic)	hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with six equivalents of ethylene oxide.
PEG-7 Hydrogenated Castor	PEG-7 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 7
Oil	moles of ethylene oxide. PEG-7 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of
61788-85-0 (generic)	hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with seven equivalents of ethylene oxide
PEG-8 Hydrogenated Castor	PEG-8 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 8
Oil (1788 85 0 (generic)	moles of ethylene oxide. PEG-8 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of hydrogenetic descent and fatty axid for the second sector oil with a single sector of a dual to a second sector of the sector of the second sector of the
61788-85-0 (generic)	hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with eight equivalents of ethylene oxide PEG-10 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 10
PEG-10 Hydrogenated Castor Oil	moles of ethylene oxide. <i>PEG-10 Hydrogenated Castor Oil is a mixture of the etherification and esterification products</i>
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with ten equivalents of ethylene oxide
PEG-16 Hydrogenated Castor	PEG-16 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 16
Oil	moles of ethylene oxide. <i>PEG-16 Hydrogenated Castor Oil is a mixture of the etherification and esterification products</i>
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with sixteen equivalents of ethylene
ori, co co o (generic)	oxide.
PEG-20 Hydrogenated Castor	PEG-20 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 20
Oil	moles of ethylene oxide. PEG-20 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with twenty equivalents of ethylene
	oxide.
PEG-25 Hydrogenated Castor	PEG-25 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 25
Oil	moles of ethylene oxide. PEG-25 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with twenty-five equivalents of
	ethylene oxide.
PEG-30 Hydrogenated Castor	PEG-30 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 30
Oil (1798 85 0 (generic)	moles of ethylene oxide. <i>PEG-30 Hydrogenated Castor Oil is a mixture of the etherification and esterification products</i>
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with thirty equivalents of ethylene
PEG-35 Hydrogenated Castor	oxide. PEG-35 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 35
Oil	moles of ethylene oxide. <i>PEG-35 Hydrogenated Castor Oil is a mixture of the etherification and esterification products</i>
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with thirty-five equivalents of ethyler
er, es es e (generie)	oxide.
PEG-40 Hydrogenated Castor	PEG-40 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 40
Oil	moles of ethylene oxide. PEG-40 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with forty equivalents of ethylene
	oxide.
PEG-45 Hydrogenated Castor	PEG-45 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 45
Oil	
PEG-45 Hydrogenated Castor Oil 61788-85-0 (generic)	PEG-45 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 45 moles of ethylene oxide. <i>PEG-45 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with forty-five equivalents of ethylene</i>

Ingredient CAS No.	<b>Definition</b> <sup>8</sup> ( <i>italicized text has been generated by CIR</i> )
PEG-50 Hydrogenated Castor	PEG-50 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 50
Oil	moles of ethylene oxide. PEG-50 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with fifty equivalents of ethylene oxide.
PEG-54 Hydrogenated Castor	PEG-54 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 54
Oil	moles of ethylene oxide. PEG-54 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with fifty-four equivalents of ethylene oxide.
PEG-55 Hydrogenated Castor	PEG-55 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 55
Oil	moles of ethylene oxide. PEG-55 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with fifty-five equivalents of ethylene oxide.
PEG-60 Hydrogenated Castor	PEG-60 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 60
Oil	moles of ethylene oxide. PEG-60 Hydrogenated Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with sixty equivalents of ethylene oxide.
PEG-65 Hydrogenated Castor	PEG-65 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 65
Oil 61788-85-0 (generic)	moles of ethylene oxide. PEG-65 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with sixty-five equivalents of ethylene
01700-03-0 (generic)	of hydrogenated castor ou giveriaes and fatty acids from hydrogenated castor ou, with sixty-five equivalents of ethylene oxide.
PEG-80 Hydrogenated Castor	PEG-80 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 80
Oil	moles of ethylene oxide. PEG-80 Hydrogeneted Castor Oil is a mixture of the etherification and esterification products
61788-85-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with eighty equivalents of ethylene
DEC 100 H 1 1 1 C	
PEG-100 Hydrogenated Castor	PEG-100 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 100
Oil 61788-85-0 (generic)	moles of ethylene oxide. PEG-100 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with one hundred equivalents of
01700-05-0 (generic)	of nyarogenated castor ou giveerides and fatty acids from nyarogenated castor ou, with one nunared equivalents of ethylene oxide.
PEG-200 Hydrogenated Castor	PEG-200 Hydrogenated Castor Oil is a polyethylene glycol derivative of Hydrogenated Castor Oil with an average of 200
Oil 61788-85-0 (generic)	moles of ethylene oxide. PEG-200 Hydrogenated Castor Oil is a mixture of the etherification and esterification products of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with two hundred equivalents of
01/00-03-0 (generic)	of hydrogenated castor oil glycerides and fatty acids from hydrogenated castor oil, with two hundred equivalents of ethylene oxide.
PEG-8 block added transester	
Hydrogenated Castor Oil PEG-	Hydrogenated Castor Oil PEG-8 Esters is a product obtained by the transesterification of Hydrogenated Castor Oil and
8 Esters	PEG-8.
PEGylated Hydrogenated Castor	
PEG-5 Hydrogenated Castor Oil Isostearate	PEG-5 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 5.
PEG-10 Hydrogenated Castor	PEG-10 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of
Oil Isostearate	Hydrogenated Castor Oil with an average ethoxylation value of 10.
PEG-15 Hydrogenated Castor	
Oil Isostearate	PEG-15 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 15.
Oil Isostearate PEG-20 Hydrogenated Castor	Hydrogenated Castor Oil with an average ethoxylation value of 15. PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Dil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Dil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Dil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Dil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Dil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Dil Isostearate isostearic acid ester of Dil Isostearate isostearic acid ester of Dil Isostearate isostearic acid ester of Dil
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate [868047-47-6, generic to all	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate [868047-47-6, generic to all PEG-X Hydrogenated Castor Oil]	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil sostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil sostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate [868047-47-6, generic to all PEG-X Hydrogenated Castor Oil]	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate [868047-47-6, generic to all PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil]	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil sostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil sostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Laurate [868047-47-6, generic to all PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil] Laurate [868047-47-6 (generic)]	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20
Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-30 Hydrogenated Castor Oil Isostearate PEG-40 Hydrogenated Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Isostearate PEG-58 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Laurate [868047-47-6, generic to all PEG-30 Hydrogenated Castor Oil] PEG-30 Hydrogenated Castor Oil Laurate [868047-47-6 (generic)] PEG-40 Hydrogenated Castor	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Lourate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.
Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Isostearate   PEG-30 Hydrogenated Castor   Oil Isostearate   PEG-40 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-58 Hydrogenated Castor   Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Laurate   [868047-47-6, generic to all   PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 20.   PEG-30 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20
Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Isostearate   PEG-30 Hydrogenated Castor   Oil Isostearate   PEG-40 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-58 Hydrogenated Castor   Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Laurate   [868047-47-6, generic to all   PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20
Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Isostearate   PEG-30 Hydrogenated Castor   Oil Isostearate   PEG-40 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-58 Hydrogenated Castor   Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Laurate   [868047-47-6, generic to all   PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]	Hydrogenated Častor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol der
Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Isostearate   PEG-30 Hydrogenated Castor   Oil Isostearate   PEG-40 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-58 Hydrogenated Castor   Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Laurate   [868047-47-6, generic to all   PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 40.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-58 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 20
Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Isostearate   PEG-30 Hydrogenated Castor   Oil Isostearate   PEG-40 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-58 Hydrogenated Castor   Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Laurate   [868047-47-6, generic to all   PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-50 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]	Hydrogenated Castor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil sostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.   PEG-50 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 58.   PEG-20 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.   PEG-40 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an average ethoxylation value of 30.   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil, with an av
Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Isostearate   PEG-30 Hydrogenated Castor   Oil Isostearate   PEG-40 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-50 Hydrogenated Castor   Oil Isostearate   PEG-58 Hydrogenated Castor   Oil Isostearate   PEG-20 Hydrogenated Castor   Oil Laurate   [868047-47-6, generic to all   PEG-30 Hydrogenated Castor   Oil PEG-30 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]   PEG-40 Hydrogenated Castor   Oil Laurate   [868047-47-6 (generic)]	Hydrogenated Častor Oil with an average ethoxylation value of 15.   PEG-20 Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Isostearate is a polyethylene glycol derivative of the isostearic acid ester of Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil with an average ethoxylation value of 30.   PEG-30 Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol derivative of the ester of Lauric Acid and Hydrogenated Castor Oil Laurate is a polyethylene glycol

# Table 3. Names, CAS registry numbers, and definitions of the PEGylated Oil ingredients

Ingredient CAS No.	<b>Definition</b> <sup>8</sup> ( <i>italicized text has been generated by CIR</i> )
PEG-20 Hydrogenated Castor	PEG-20 Hydrogenated Castor Oil PCA Isostearate is the diester of PEG-20 Hydrogenated Castor Oil and a mixture of
Oil PCA Isostearate PEG-30 Hydrogenated Castor	PCA and Isostearic Acid. PEG-30 Hydrogenated Castor Oil PCA Isostearate is the diester of PEG-30 Hydrogenated Castor Oil and a mixture of
Oil PCA Isostearate	PCA and Isostearic Acid.
PEG-40 Hydrogenated Castor Oil PCA Isostearate	PEG-40 Hydrogenated Castor Oil PCA Isostearate is the diester of PEG-40 Hydrogenated Castor Oil and a mixture of PCA and Isostearic Acid.
PEG-60 Hydrogenated Castor Oil PCA Isostearate	PEG-60 Hydrogenated Castor Oil PCA Isostearate is the diester of PEG-60 Hydrogenated Castor Oil and a mixture of PCA and Isostearic Acid.
PEG-50 Hydrogenated Castor Oil Succinate	PEG-50 Hydrogenated Castor Oil Succinate is a polyethylene glycol derivative of the succinic acid ester of Hydrogenated Castor Oil with an average ethoxylation value of 50.
PEG-5 Hydrogenated Castor Oil Triisostearate [188734-82-9, generic to all PEG-X Hydrogenated Castor Oil Triisostearate]	PEG-5 Hydrogenated Castor Oil Triisostearate is the triester of isostearic acid and Hydrogenated Castor Oil with an average of 5 moles of ethylene oxide.
PEG-10 Hydrogenated Castor Oil Triisostearate [188734-82-9 (generic)]	PEG-10 Hydrogenated Castor Oil Triisostearate is the triester of isostearic acid and Hydrogenated Castor Oil with an average of 10 moles of ethylene oxide.
PEG-15 Hydrogenated Castor Oil Triisostearate	PEG-15 Hydrogenated Castor Oil Triisostearate is the triester of isostearic acid and Hydrogenated Castor Oil with an average of 15 moles of ethylene oxide.
PEG-20 Hydrogenated Castor Oil Triisostearate [188734-82-9 (generic)]	PEG-20 Hydrogenated Castor Oil Triisostearate is the isostearic acid triester of Hydrogenated Castor Oil with an average ethoxylation value of 20.
PEG-30 Hydrogenated Castor Oil Triisostearate [188734-82-9 (generic)]	PEG-30 Hydrogenated Castor Oil Triisostearate is the triester of isostearic acid and Hydrogenated Castor Oil with an average of 30 moles of ethylene oxide.
PEG-40 Hydrogenated Castor Oil Triisostearate [188734-82-9 (generic)]	PEG-40 Hydrogenated Castor Oil Triisostearate is the triester of isostearic acid and Hydrogenated Castor Oil with an average of 40 moles of ethylene oxide.
PEG-50 Hydrogenated Castor Oil Triisostearate [188734-82-9 (generic)]	PEG-50 Hydrogenated Castor Oil Triisostearate is the isostearic acid triester of Hydrogenated Castor Oil with an average of 50 moles of ethylene oxide.
PEG-60 Hydrogenated Castor Oil Triisostearate [188734-82-9 (generic)]	PEG-60 Hydrogenated Castor Oil Triisostearate is the isostearic acid triester of Hydrogenated Castor Oil with an average of 60 moles of ethylene oxide.
Potassium PEG-50 Hydrogenated Castor Oil Succinate	Potassium PEG-50 Hydrogenated Castor Oil Succinate is the potassium salt of PEG-50 Hydrogenated Castor Oil Succinate.
Sodium PEG-50 Hydrogenated Castor Oil Succinate Other PEG-X block added Oils	Sodium PEG-50 Hydrogenated Castor Oil Succinate is the sodium salt of PEG-50 Hydrogenated Castor Oil Succinate.
Adansonia Digitata Seed Oil PEG-8 Esters	Adansonia Digitata Seed Oil PEG-8 Esters is the product obtained by the transesterification of Adansonia Digitata Seed Oil and PEG-8.
Almond Oil PEG-6 Esters	Almond Oil PEG-6 Esters is the product obtained by the transesterification of Prunus Amygdalus Dulcis (Almond) Oil and PEG-6.
Almond Oil PEG-8 Esters	Almond Oil PEG-8 Esters is the product obtained by the transesterification of Prunus Amygdalus Dulcis (Almond) Oil and PEG-8.
Apricot Kernel Oil PEG-6 Esters	Apricot Kernel Oil PEG-6 Esters is the product obtained by the transesterification of Prunus Armeniaca (Apricot) Kernel Oil and PEG-6.
Apricot Kernel Oil PEG-8 Esters	Apricot Kernel Oil PEG-8 Esters is the product obtained by the transesterification of Prunus Armeniaca (Apricot) Kernel Oil and PEG-8.
Apricot Kernel Oil PEG-40 Esters	Apricot Kernel Oil PEG-40 Esters is the product obtained by the transesterification of Prunus Armeniaca (Apricot) Kernel Oil and PEG-40.
Argan Oil PEG-8 Esters Avocado Oil PEG-8 Esters	Argan Oil PEG-8 Esters is the product obtained by the transesterification of Argania Spinosa Kernel Oil and PEG-8. Avocado Oil PEG-8 Esters is the product obtained by the transesterification of Persea Gratissima (Avocado) Oil and PEG-8.
Avocado Oil PEG-11 Esters	Avocado Oil PEG-11 Esters is the product obtained from the transesterification of Persea Gratissima (Avocado) Oil and PEG-11.
Bertholletia Excelsa Seed Oil PEG-8 Esters	Bertholletia Excelsa Seed Oil PEG-8 Esters is the product obtained from the transesterificaton of Bertholletia Excelsa Seed Oil and PEG-8.
Bitter Cherry Seed Oil PEG-8 Esters	Bitter Cherry Seed Oil PEG-8 Esters is a product obtained by the transesterification of Prunus Cerasus (Bitter Cherry) Seed Oil and PEG-8.
Borage Seed Oil PEG-8 Esters	Borage Seed Oil PEG-8 Esters is the product obtained by the transesterification of Borago Officinalis (Borage) Seed Oil and PEG-8.
Coconut Oil PEG-10 Esters	Coconut Oil PEG-10 Esters is a polyethylene glycol derivative of Cocos Nucifera (Coconut) Oil with an average of 10 moles of ethylene oxide.
	Corn Oil PEG-6 Esters is a product obtained by the transesterification of Zea Mays (Corn) Oil and PEG-6.

Table 3. Names, CAS registry numbers, and definitions of the PEGylated Oil ingredients

Ingredient CAS No.	Definition <sup>8</sup> ( <i>italicized text has been generated by CIR</i> )
Grape Seed Oil PEG-8 Esters	Grape Seed Oil PEG-8 Esters is the product obtained by the transesterification of Vitis Vinifera (Grape) Seed Oil and
	PEG-8.
Hazel Seed Oil PEG-8 Esters	Hazel Seed Oil PEG-8 Esters is the product obtained by the transesterification of Corylus Avellana (Hazel) Seed Oil and PEG-8.
Hydrogenated Palm/Palm Kernel Oil PEG-6 Esters	Hydrogenated Palm/Palm Kernel Oil PEG-6 Esters is the product obtained by the transesterification of Hydrogenated Palm Kernel Oil, Hydrogenated Palm Oil and PEG-6.
Jojoba Oil PEG-8 Esters	Jojoba Oil PEG-8 Esters is the polyethylene glycol derivative of the acids and alcohols derived from Simmondsia Chinensis (Jojoba) Oil containing an average of 8 moles of ethylene oxide.
Jojoba Oil PEG-150 Esters	Jojoba Oil PEG-150 Esters is the polyethylene glycol derivative of the acids and alcohols derived from Simmondsia Chinensis (Jojoba) Oil containing an average of 150 moles of ethylene oxide.
Linseed Oil PEG-8 Esters	Linseed Oil PEG-8 Esters is the product obtained by the transesterification of Linum Usitatissimum (Linseed) Oil and PEG-8.
Macadamia Ternifolia Seed Oil PEG-8 Esters	Macadamia Ternifolia Seed Oil PEG-8 Esters is the product obtained by the transesterification of Macadamia Ternifolia Seed Oil and PEG-8.
Mango Seed Oil PEG-70 Esters	Mango Seed Oil PEG-70 Esters is the product obtained by the transesterification of Mangifera Indica (Mango) Seed Oil and PEG-70.
Mink Oil PEG-13 Esters	Mink Oil PEG-13 Esters is the product obtained by the transesterification of Mink Oil and PEG-13.
Olive Oil PEG-6 Esters	Olive Oil PEG-6 Esters is a product obtained by the transesterification of Olea Europaea (Olive) Oil and PEG-6.
Olive Oil PEG-7 Esters	Olive Oil PEG-7 Esters is a product obtained by the transesterification of Olea Europaea (Olive) Oil and PEG-7
Olive Oil PEG-8 Esters	Olive Oil PEG-8 Esters is a product obtained by the transesterification of Olea Europaea (Olive) Oil and PEG-8.
Olive Oil PEG-10 Esters	Olive Oil PEG-10 Esters is a product obtained by the transesterification of Olea Europaea (Olive) Oil and PEG-10.
Orbignya Oleifera Seed Oil PEG-8 Esters	Orbignya Oleifera Seed Oil PEG-8 Esters is the product obtained by the transesterification of Orbignya Oleifera Seed O and PEG-8.
Palm Oil PEG-8 Esters	Palm Oil PEG-8 Esters is the product obtained by the transesterification of Elaeis Guineensis (Palm) Oil and PEG-8.
Passiflora Edulis Seed Oils PEG-8 Esters	Passiflora Edulis Seed Oils PEG-8 Esters is a product obtained by the transesterification of a blend of Passiflora Edulis Seed Oil with PEG-8.
Peanut Oil PEG-6 Esters	Peanut Oil PEG-6 Esters is the product obtained by the transesterification of Arachis Hypogaea (Peanut) Oil and PEG-6
PEG-75 Crambe Abyssinica	PEG-75 Crambe Abyssinica Seed Oil is a polyethylene glycol derivative of Crambe Abyssinica Seed Oil with an average
Seed Oil	of 75 moles of ethylene oxide. PEG-75 Crambe Abyssinica Seed Oil is a mixture of the etherification and esterification products of crambe abyssinica seed oil glycerides and fatty acids from crambe abyssinica seed oil, with seventy-five equivalents of ethylene oxide.
PEG-75 Meadowfoam Oil	PEG-75 Meadowfoam Oil is a polyethylene glycol derivative of Limnanthes Alba (Meadowfoam) Seed Oil with an average of 75 moles of ethylene oxide. PEG-75 Meadowfoam Oil is a mixture of the etherification and esterification products of meadowfoam oil glycerides and fatty acids from meadowfoam oil, with seventy-five equivalents of ethylene oxide.
Pumpkin Seed Oil PEG-8 Esters	Pumpkin Seed Oil PEG-8 Esters is the product obtained by the transesterification of Cucurbita Pepo (Pumpkin) Seed Oi and PEG-8.
Rapeseed Oil PEG-3 Esters	Rapeseed Oil PEG-3 Esters is the product obtained by the transesterification of Brassica Campestris (Rapeseed) Oil and PEG-3.
Rapeseed Oil PEG-20 Esters	Rapeseed Oil PEG-20 Esters is the product obtained by the transesterification of Brassica Campestris (Rapeseed) Oil an PEG-20.
Raspberry Seed Oil PEG-8 Esters	Raspberry Seed Oil PEG-8 Esters is the product obtained by the transesterification of Rubus Idaeus (Raspberry) Seed O and PEG-8.
Safflower Seed Oil PEG-8 Esters	Safflower Seed Oil PEG-8 Esters is the product obtained by the transesterification of Carthamus Tinctorius (Safflower) Seed Oil and PEG-8.
Schinziophyton Rautanenii Kernel Oil PEG-8 Esters	Schinziophyton Rautanenii Kernel Oil PEG-8 Esters is the product obtained by the transesterification of Schinziophytor Rautanenii Kernel Oil and PEG-8.
Sclerocarya Birrea Seed Oil PEG-8 Esters	Sclerocarya Birrea Seed Oil PEG-8 Esters is the product obtained by the transesterification of PEG-8 with Sclerocarya Birrea Seed Oil.
Sesame Seed Oil PEG-8 Esters	Sesame Seed Oil PEG-8 Esters is the product obtained by the transesterification of PEG-8 with Sesamum Indicum Seed Oil.
Soybean Oil PEG-8 Esters	Soybean Oil PEG-8 Esters is the product obtained by the transesterification of Glycine Soja (Soybean) Oil and PEG-8.
Soybean Oil PEG-20 Esters	Soybean Oil PEG-20 Esters is the product obtained by the transesterification of Glycine Soja (Soybean) Oil and PEG-20
Soybean Oil PEG-36 Esters	Soybean Oil PEG-36 Esters is the product obtained by the transesterification of Glycine Soja (Soybean) Oil and PEG-36
Sunflower Seed Oil PEG-8 Esters	Sunflower Seed Oil PEG-8 Esters is the product obtained by the transesterification of Helianthus Annuus (Sunflower) Seed Oil and PEG-8.
Sunflower Seed Oil PEG-32 Esters	Sunflower Seed Oil PEG-32 Esters is the product obtained by the transesterification of Helianthus Annuus (Sunflower) Seed Oil and PEG-32.
Sweet Almond Oil PEG-8	Sweet Almond Oil PEG-8 Esters is the product obtained by the transesterification of Prunus Amygdalus (Sweet Almond Oil and PEG-6.
Esters Watermelon Seed Oil PEG-8 Esters	Watermelon Seed Oil PEG-8 Esters is the product obtained by the transesterification of PEG-8 with Citrillus Lanatus (Watermelon) Seed Oil.

Table 3. Names, CAS registry numbers, and definitions of the PEGylated Oil ingredients

Ingredient CAS No.	Definition <sup>8</sup> ( <i>italicized text has been generated by CIR</i> )
Wheat Germ Oil PEG-40	Wheat Germ Oil PEG-40 Butyloctanol Esters is the product obtained by the reaction of a mixture of Triticum Vulgare
Butyloctanol Esters	(Wheat) Germ Oil (q.v.) and Butyloctanol with PEG-40. Wheat Germ Oil PEG-40 Butyloctanol Esters is the transesterification product obtained by the reaction of a mixture of Triticum Vulgare (Wheat) Germ Oil with 2-butyloctanol and PEG-40.
Wheat Germ Oil PEG-8 Esters	Wheat Germ Oil PEG-8 Esters is the product obtained by the transesterification of Triticum Vulgare (Wheat) Germ Oil and PEG-8.

Table 4a. Historical and current use and concentration of use data for PEG-30, -33, -35, -36, -40 Castor Oil and PEG-30 and-40 Hydrogenated Castor Oil. <sup>19</sup>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	# of Uses Max Conc of Use (%)			# of Uses Max Conc of Use (%)			# of Uses Max Co			nc of Use (%)		
-	PEG-30 Castor Oil				PEG-33 Castor Oil				PEG-35 Castor Oil			
Data Year	1997	2012	1997	2012	1997	2012	1997	2012	1997	2012	1997	2012
Totals*	77 <sup>a</sup>	1	<u>&gt; 50<sup>b</sup></u>	0.1	13	41	NR	NR	4	35	NR	0.001-1
Duration of Use												
Leave-On	NR	NR	b	NR	10	30	NR	NR	4	21	NR	0.005-1
Rinse-Off	73	1	b	0.1	3	11	NR	NR	NR	14	NR	0.001-1
Diluted for (Bath) Use	NR	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	NR
Exposure Type												
Eye Area	NR	NR	b	NR	NR	1	NR	NR	NR	2	NR	NR
Incidental Ingestion	NR	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Spray	NR	NR	b	NR	NR	NR	NR	NR	1	1	NR	NR
Incidental Inhalation-Powder	NR	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dermal Contact	1	NR	b	NR	8	35	NR	NR	3	24	NR	0.005
Deodorant (underarm)	NR	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	NR	1	b	0.1	5	6	NR	NR	1	11	NR	0.001-1
Hair-Coloring	72	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	0.2-0.4
Nail	NR	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	NR	b	NR	NR	NR	NR	NR	NR	1	NR	0.005
Baby Products	NR	NR	b	NR	NR	NR	NR	NR	NR	NR	NR	NR

Data Year			PEG-40 Castor Oil				PEG-30 Hydrogenated Castor Oil					
	1997	2012	1997	2012	1997	2012	1997	2012	1997	2012	1997	2012
Totals*	3	6	NR	NR	170 <sup>c</sup>	95	<u>&lt;</u> 10 <sup>b</sup>	NR	5	3	<u>&lt;</u> 0.1 <sup>b</sup>	0.06-10
Duration of Use												
Leave-On	3	6	NR	NR	60	59	b	NR	2	1	b	0.06-2
Rinse Off	NR	NR	NR	NR	46	36	b	NR	3	2	b	2-10
Diluted for (Bath) Use	NR	NR	NR	NR	1	NR	b	NR	NR	NR	b	NR
Exposure Type												
Eye Area	NR	NR	NR	NR	1	1	b	NR	NR	NR	b	NR
Incidental Ingestion	NR	NR	NR	NR	NR	NR	b	NR	NR	NR	b	NR
Incidental Inhalation-Spray	NR	NR	NR	NR	7	1	b	NR	1	NR	b	NR
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR	b	NR	NR	NR	b	NR
Dermal Contact	3	6	NR	NR	74	63	b	NR	5	2	b	2-10
Deodorant (underarm)	NR	NR	NR	NR	NR	NR	b	NR	1	NR	b	NR
Hair - Non-Coloring	NR	NR	NR	NR	33	29	b	NR	NR	NR	b	NR
Hair-Coloring	NR	NR	NR	NR	NR	2	b	NR	NR	1	b	NR
Nail	NR	NR	NR	NR	NR	1	b	NR	NR	NR	b	0.06
Mucous Membrane	NR	NR	NR	NR	2	14	b	NR	NR	NR	b	10
Baby Products	NR	NR	NR	NR	NR	NR	b	NR	NR	NR	b	NR

	PEG	40 Hydrog	enated Ca	stor Oil	
	1997	2012	1997	2012	_
Totals*	268 <sup>d</sup>	2107	<u>&lt;</u> 5 <sup>b</sup>	0.00007- 22	*Because each ingredient may be used in cosmetics with multiple exposure types, the sum of all
Duration of Use					exposure types may not equal the sum of total uses.
Leave-On	186	1319	b	0.0007- 22	NR = Not reported
Rinse-Off	50	754	b	0.00007- 14	a Total includes4 uses listed under trade name of mixtures, exact duration of use and exposure type could not be determined.
Diluted for (Bath) Use	20	34	b	0.001-5	b Breakdown not available.
Exposure Type					c Total includes 63 uses listed under trade name of mixtures, exact duration of use and exposure type
Eye Area	9	53	b	0.002-15	could not be determined.
Incidental Ingestion	NR	4	b	0.9-4	d Total includes 11 uses listed under trade name, exact duration of use and exposure type could not be
Incidental Inhalation-Spray	31	279	b	0.003-6 <sup>e</sup>	- determined
Incidental Inhalation-Powder	3	3	b	0.002	determined.
Dermal Contact	197	1461	b	0.00007- 10	<sup>e</sup> 0.5% in a baby hair detangling spray; 0.003% in an other spray fragrance; 6% in an other pump spray fragrance; 0.02-0.4% in an aerosol hair spray; 0.2-0.7% in a
Deodorant (underarm)	2	27	b	0.02-4	pump hair spray; 0.5% in a tonic, dressing, and other hair grooming aids spray; 4%
Hair - Non-Coloring	54	537	b	0.008-22	in an aerosol deodorant spray; 3% in a body and hand cream spray; 3% in a foot
Hair-Coloring	2	93	b	0.06-14	spray; and 2% in a skin freshener spray.
Nail	NR	4	b	0.8	
Mucous Membrane	30	390	b	0.001-10	
Baby Products	1	18	b	0.5-4	

Table 4b Frequency and conc	entration of use (2012) according t	to duration and type of exposure fo	r expanded PEGylated Oils group.9
rable 40. Frequency and conc	childholi of use (2012) according t	to unration and type of exposure it	r expanded i Doylated Olis group.

	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)
—	PEG-	9 Castor Oil	PEG-25 Castor Oil		PEG-50 Castor Oil	
Totals*	1	0.3	NR	3-17	2	NR
Duration of Use						
Leave-On	1	0.3	NR	3-17	2	NR
Rinse-Off	NR	NR	NR	NR	NR	NR
Diluted for (Bath) Use	NR	NR	NR	NR	NR	NR
Exposure Type						
Eye Area	NR	NR	NR	NR	NR	NR
Incidental Ingestion	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Spray	1	NR	NR	3ª	NR	NR
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR
Dermal Contact	NR	NR	NR	NR	2	NR
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	1	0.3	NR	3-17	NR	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	NR	NR	NR	NR	NR
Baby Products	NR	NR	NR	NR	NR	NR

	PEG-60 Castor Oil		PEG-2 Hydrog	enated Castor Oil	PEG-7 Hydrogenated Castor Oil	
Totals*	NR	0.002-23	5	NR	11	0.05-8
Duration of Use						
Leave-On	NR	0.04-23	5	NR	9	0.05-8
Rinse Off	NR	0.002-11	NR	NR	2	NR
Diluted for (Bath) Use	NR	6	NR	NR	NR	NR
Exposure Type						
Eye Area	NR	0.08-1	5	NR	NR	5
Incidental Ingestion	NR	0.06-2	NR	NR	NR	8
Incidental Inhalation-Spray	NR	0.04-16 <sup>b</sup>	NR	NR	4	NR
Incidental Inhalation-Powder	NR	0.2	NR	NR	NR	NR
Dermal Contact	NR	0.002-11	NR	NR	9	0.6-5
Deodorant (underarm)	NR	0.04-0.5	NR	NR	NR	NR
Hair - Non-Coloring	NR	0.5-23	NR	NR	2	0.05
Hair-Coloring	NR	0.6-8	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	0.06-6	NR	NR	2	8
Baby Products	NR	NR	NR	NR	NR	NR

	PEG-10 Hydrogenated Castor Oil		PEG-16 Hydrog	genated Castor Oil	PEG-20 Hydrogenated Castor Oil	
Totals*	5	3	1	NR	5	0.05-0.5
Duration of Use						
Leave-On	5	3	1	NR	4	0.05-0.5
Rinse-Off	NR	NR	NR	NR	1	NR
Diluted for (Bath) Use	NR	NR	NR	NR	NR	NR
Exposure Type						
Eye Area	NR	NR	NR	NR	NR	NR
Incidental Ingestion	1	NR	1	NR	NR	NR
Incidental Inhalation-Spray	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR
Dermal Contact	3	3	NR	NR	5	0.05-0.5
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	1	NR	NR	NR	NR	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	1	NR	1	NR	NR	NR
Baby Products	NR	NR	NR	NR	NR	NR

Table 4b. Frequency and concentration of	se (2012) according to duration and t	ype of exposure for expanded PEGylated Oils group. <sup>9</sup>

	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)
	PEG-25 Hydrogenated Castor Oil		PEG-35 Hyd	PEG-35 Hydrogenated Castor Oil		rogenated Castor Oil
Totals	39	0.01-23	1	NR	2	NR
Duration of Use						
Leave-On	34	0.01-23	1	NR	1	NR
Rinse Off	5	0.3	NR	NR	1	NR
Diluted for (Bath) Use	NR	NR	NR	NR	NR	NR
Exposure Type						
Eye Area	NR	NR	NR	NR	NR	NR
Incidental Ingestion	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Spray	4	NR	1	NR	NR	NR
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR
Dermal Contact	16	0.01-2	1	NR	1	NR
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	23	3-23	NR	NR	1	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	3	NR	NR	NR	NR	NR
Baby Products	NR	NR	NR	NR	1	NR

	PEG-60 Hydro	ogenated Castor Oil	PEG-80 Hydro	genated Castor Oil	PEG-100 Hydr	ogenated Castor Oil
Totals*	349	0.00004-18	4	NR	NR	0.02-4
Duration of Use						
Leave-On	251	0.00004-18	3	NR	NR	0.02-3
Rinse-Off	94	0.00004-0.5	1	NR	NR	1-2
Diluted for (Bath) Use	4	NR	NR	NR	NR	4
Exposure Type						
Eye Area	9	3-5	NR	NR	NR	NR
Incidental Ingestion	1	6	NR	NR	NR	0.5
Incidental Inhalation-Spray	13	0.3-1°	NR	NR	NR	0.3 <sup>d</sup>
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR
Dermal Contact	307	0.00004-5	4	NR	NR	0.02-4
Deodorant (underarm)	2	NR	NR	NR	NR	NR
Hair - Non-Coloring	41	0.3-18	NR	NR	NR	0.2-3
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	3	NR	NR	NR	NR
Mucous Membrane	37	0.004-6	NR	NR	NR	0.5-4
Baby Products	1	NR	NR	NR	NR	NR

	PEG-20 Hydrogenated Castor Oil Triisostearate			ogenated Castor Oil sostearate	PEG-50 Hydrogenated Castor Oil Succinate	
Totals*	3	NR	NR	0.002-0.003	NR	1-40
Duration of Use						
Leave-On	3	NR	NR	NR	NR	40
Rinse-Off	NR	NR	NR	0.002-0.003	NR	1
Diluted for (Bath) Use	NR	NR	NR	NR	NR	NR
Exposure Type						
Eye Area	3	NR	NR	NR	NR	1
Incidental Ingestion	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Spray	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR
Dermal Contact	NR	NR	NR	0.002-0.003	NR	1
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	NR	NR	NR	0.003	NR	40
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	NR	NR	0.002-0.003	NR	NR
Baby Products	NR	NR	NR	NR	NR	NR

	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)
-	PEG-40 Hydrogenated Castor Oil PCA Isostearate		Apricot Kernel Oil PEG-6 Esters		Avocado Oil PEG-11 Esters	
Totals*	2	NR	24	0.8-1	NR	0.1
Duration of Use						
Leave-On	1	NR	23	0.8-1	NR	0.1
Rinse-Off	1	NR	NR	NR	NR	NR
Diluted for (Bath) Use	NR	NR	1	NR	NR	NR
Exposure Type						
Eye Area	NR	NR	1	1	NR	NR
Incidental Ingestion	NR	NR	4	NR	NR	NR
Incidental Inhalation-Spray	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	NR
Dermal Contact	1	NR	20	0.8-1	NR	NR
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	1	NR	NR	NR	NR	0.1
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	NR	5	NR	NR	NR
Baby Products	NR	NR	NR	NR	NR	NR

	Coconut Oil PEG-10 Esters		Grape Seed C	Grape Seed Oil PEG-8 Esters		Hydrogenated Palm/Palm Kernel Oil PEG-6 Esters	
Totals*	8	NR	18	NR	4	0.6-24	
Duration of Use							
Leave-On	2	NR	10	NR	4	0.6-24	
Rinse-Off	6	NR	8	NR	NR	NR	
Diluted for (Bath) Use	NR	NR	NR	NR	NR	NR	
Exposure Type							
Eye Area	NR	NR	NR	NR	1	9-24	
Incidental Ingestion	NR	NR	NR	NR	NR	NR	
Incidental Inhalation-Spray	NR	NR	1	NR	NR	0.6	
Incidental Inhalation-Powder	NR	NR	NR	NR	NR	16	
Dermal Contact	2	NR	18	NR	4	0.6-24	
Deodorant (underarm)	NR	NR	NR	NR	NR	NR	
Hair - Non-Coloring	6	NR	NR	NR	NR	NR	
Hair-Coloring	NR	NR	NR	NR	NR	NR	
Nail	NR	NR	NR	NR	NR	NR	
Mucous Membrane	NR	NR	6	NR	NR	NR	
Baby Products	NR	NR	NR	NR	NR	NR	

Totals*	Jojoba Oil PEG-8 Esters		Olive Oil PEG-7 Esters		Olive Oil PEG-10 Esters	
	40	0.5	97	0.05-97	NR	0.002-0.009
Duration of Use						
Leave-On	26	NR	45	0.9-12	NR	0.002
Rinse Off	7	0.5	52	0.05-97	NR	0.003-0.009
Diluted for (Bath) Use	7	NR	NR	NR	NR	NR
Exposure Type						
Eye Area	NR	NR	3	NR	NR	NR
Incidental Ingestion	NR	NR	NR	0.9	NR	NR
Incidental Inhalation-Spray	NR	NR	2	1 <sup>e</sup>	NR	NR
Incidental Inhalation-Powder	1	NR	NR	NR	NR	NR
Dermal Contact	34	NR	74	0.1-97	NR	0.002-0.009
Deodorant (underarm)	NR	NR	1	NR	NR	NR
Hair - Non-Coloring	6	0.5	23	0.05-1	NR	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	7	NR	22	0.1-0.9	NR	0.003-0.009
Baby Products	3	NR	1	NR	NR	NR

Table 4b. Frequency and concentration of use according to duration and type of exposure for expanded PEGylated Oils group.<sup>9</sup>

Table 4b. Frequency and concern	ntration of use acco	ording to duration and type	e of exposure for expanded PEGylated Oils group.9
i	# of Uses	Max Conc of Use (%)	_ · · · · · · · ·
	PEG-75 N	Ieadowfoam Oil	
Totals*	1	0.08	_
Duration of Use			
Leave-On	1	0.08	*Because each ingredient may be used in cosmetics with multiple exposure types
Rinse-Off	NR	NR	the sum of all exposure types may not equal the sum of total uses.
Diluted for (Bath) Use	NR	NR	NR = Not reported
Exposure Type			a 3% in a pump hair spray.
Eye Area	NR	NR	b 0.5% in a pump hair spray and 16% in an aerosol hair spray; 0.04% in an aeros
Incidental Ingestion	NR	NR	deodorant; and 0.4% in a face and neck cream spray.
Incidental Inhalation-Spray	NR	$0.08^{\mathrm{f}}$	c 0.3% in an aerosol Hairspray, 0.9% in a pump Hairspray, and 1% in a face and
Incidental Inhalation-Powder	NR	NR	Neck cream spray
Dermal Contact	NR	NR	d0.3% in an aerosol other fragrance preparation. e 1% in a pump spray
Deodorant (underarm)	NR	NR	f 0.08% in a pump spray
Hair - Non-Coloring	1	0.08	
Hair-Coloring	NR	NR	
Nail	NR	NR	
Mucous Membrane	NR	NR	
Baby Products	NR	NR	

#### Table 4c. Not reported to be in use

PEG-2 Castor Oil PEG-15 Hydrogenated Castor Oil Isostearate PEG-20 Hydrogenated Castor Oil Isostearate PEG-3 Castor Oil PEG-4 Castor Oil PEG-30 Hydrogenated Castor Oil Isostearate PEG-5 Castor Oil PEG-40 Hydrogenated Castor Oil Isostearate PEG-8 Castor Oil PEG-50 Hydrogenated Castor Oil Isostearate PEG-10 Castor Oil PEG-58 Hydrogenated Castor Oil Isostearate PEG-11 Castor Oil PEG-20 Hydrogenated Castor Oil Laurate PEG-30 Hydrogenated Castor Oil Laurate PEG-15 Castor Oil PEG-16 Castor Oil PEG-40 Hydrogenated Castor Oil Laurate PEG-50 Hydrogenated Castor Oil Laurate PEG-20 Castor Oil PEG-26 Castor Oil PEG-60 Hydrogenated Castor Oil Laurate PEG-20 Hydrogenated Castor Oil PCA Isostearate PEG-29 Castor Oil PEG-44 Castor Oil PEG-30 Hydrogenated Castor Oil PCA Isostearate PEG-54 Castor Oil PEG-60 Hydrogenated Castor Oil PCA Isostearate PEG-55 Castor Oil Potassium PEG-50 Hydrogenated Castor Oil Succinate PEG-75 Castor Oil Sodium PEG-50 Hydrogenated Castor Oil Succinate PEG-80 Castor Oil PEG-5 Hydrogenated Castor Oil Triisostearate PEG-100 Castor Oil PEG-10 Hydrogenated Castor Oil Triisostearate PEG-200 Castor Oil PEG-15 Hydrogenated Castor Oil Triisostearate PEG-18 Castor Oil Dioleate PEG-30 Hydrogenated Castor Oil Triisostearate PEG-60 Castor Oil Isostearate PEG-50 Hydrogenated Castor Oil Triisostearate PEG-5 Hydrogenated Castor Oil PEG-60 Hydrogenated Castor Oil Triisostearate PEG-6 Hydrogenated Castor Oil Adansonia Digitata Seed Oil PEG-8 Esters Almond Oil PEG-6 Esters PEG-8 Hydrogenated Castor Oil Hydrogenated Castor Oil PEG-8 Esters Almond Oil PEG-8 Esters Apricot Kernel Oil PEG-8 Esters PEG-54 Hydrogenated Castor Oil PEG-55 Hydrogenated Castor Oil Apricot Kernel Oil PEG-40 Esters PEG-65 Hydrogenated Castor Oil Argan Oil PEG-8 Esters PEG-200 Hydrogenated Castor Oil Avocado Oil PEG-8 Esters PEG-5 Hydrogenated Castor Oil Isostearate Bertholletia Excelsa Seed Oil PEG-8 Esters PEG-10 Hydrogenated Castor Oil Isostearate Borage Seed Oil PEG-8 Esters Corn Oil PEG-6 Esters

Corn Oil PEG-8 Esters Hazel Seed Oil PEG-8 Esters Jojoba Oil PEG-150 Esters Linseed Oil PEG-8 Esters Macadamia Ternifolia Seed Oil PEG-8 Esters Mango Seed Oil PEG-70 Esters Mink Oil PEG-13 Esters Olive Oil PEG-6 Esters Olive Oil PEG-8 Esters Orbignya Oleifera Seed Oil PEG-8 Esters Palm Oil PEG-8 Esters Passiflora Edulis Seed Oils PEG-8 Esters Peanut Oil PEG-6 Esters PEG-75 Crambe Abyssinica Seed Oil Pumpkin Seed Oil PEG-8 Esters Rapeseed Oil PEG-3 Esters Rapeseed Oil PEG-20 Esters Raspberry Seed Oil PEG-8 Esters Safflower Seed Oil PEG-8 Esters Schinziophyton Rautanenii Kernel Oil PEG-8 Esters Sclerocarya Birrea Seed Oil PEG-8 Esters Sesame Seed Oil PEG-8 Esters Soybean Oil PEG-8 Esters Sovbean Oil PEG-20 Esters Soybean Oil PEG-36 Esters Sunflower Seed Oil PEG-8 Esters Sunflower Seed Oil PEG-32 Esters Sweet Almond Oil PEG-8 Esters Watermelon Seed Oil PEG-8 Esters Wheat Germ Oil PEG-40 Butyloctanol Esters Wheat Germ Oil PEG-8 Esters

#### References

- 1. Andersen FA (ed.). Final report on the safety assessment of PEG-30, -35, -36, and -40 castor oil and PEG-30 and -40 hydrogenated castor oil. *IJT*. 1997;16:269-306.
- 2. O'Lenick AJ and Parkinson JK. Group selectivity of ethyoxylation of hydroxy acids. *J Soc Cosmet Chem.* 1993;44(6):319-328.
- Nasioudis A, van Velde JW, Heeren RMA, and van den Brink OF. Detailed molecular characterization of castor oil ethoxylates by liquid chromatography multistage mass spectrometry. J Chromatogr A. 2011;1218:7166-7172.
- 4. Shree Vallabh Chemicals. Castor Oil Ethoxylate. <u>http://www.shreechem.in/castor\_oil\_ethoxylates.html</u>. Date Accessed 1-23-2012.
- 5. Kociba RJ, McCollister SB, Park C, Torkelson TR, and Gehring PJ. 1,4-Dioxane. I. Results of a 2-year ingestion study in rats. *Toxicol Appl Pharmacol*. 1974;30:275-286.
- 6. Elder RL (ed). Final Report on the Safety Assessment of PEG-2, -6, -8, -12, -20, -32, -40, -50, -100, and -150 Stearates. *JACT*. 1983;2(7):17-34.
- Food and Drug Administration (FDA). 1,4-Dioxane. <u>http://www.fda.gov/cosmetics/productandingredientsafety/potentialcontaminants/ucm101566.htm</u>. 10903 New Hampshire Ave, Silver Spring, MD 20993. Date Accessed 9-17-2012.
- 8. Gottschalck TE and Bailey JE eds. International Cosmetic Ingredient Dictionary and Handbook. 13th ed. Washington, D.C.: Personal Care Products Council; 2010.
- 9. Food and Drug Administration (FDA). Frequency of use of cosmetic ingredients. *FDA Database*. 2012. Washington, DC: FDA.
- Personal Care Products Council. 4-24-2012. Concentration of Use by FDA product category: PEGylated Castor Oil Ingredients. 8 pages.
- Personal Care Products Council. 8-1-2012. Concentration of use by FDA Product Category PEGylated Oils, April 2012 Survey. 4 pages.
- 12. Rothe H, Fautz R, Gerber E, Neumann L, Rettinger K, Schuh W, and Gronewold C. Special aspects of cosmetic spray safety evaluations: Principles on inhalation risk assessment. *Toxicol Lett.* 2011;205(2):97-104.
- 13. Rothe H. Special Aspects of Cosmetic Spray Evalulation. 9-26-2011.
- 14. Bremmer HJ, Prud'homme de Lodder LCH, and Engelen JGM. Cosmetics Fact Sheet: To assess the risks for the consumer; Updated version for ConsExpo 4. 2006. Report No. RIVM 320104001/2006. pp. 1-77.
- 15. Johnsen MA. The influence of particle size. Spray Technology and Marketing. 2004; November: 24-27.
- European Union. 1976, Council Directive 1976/768/EEC of 27 July 1976 on the Approximation of the Laws of the Member States Relating to Cosmetic Products, as amended through Commission Directive 2008/42/EC. 2008. <u>http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CONSLEG:1976L0768:20080424:en:PDF</u>.
- 17. Waghmare N, Waghmare P, Wani S, and Yerawar A. Development of isotretinoin gel for the treatment of acne vulgaris. *Res J Pharm Biol Chem Sci.* 2011;2(1):220-230.
- Zhu W, Yu A, Wang W, Dong R, Wu J, and Zhai G. Formulation design of microemulsion for dermal delivery of penciclovir. *Int J Pharm.* 2008;360(1-2):184-190.
- 19. Chen H, Xiao L, Du D, Mou D, Xu H, and Yang X. A facile construction strategy of stable lipid nanoparticle for drug delivery using a hydrogel-thickened microemulsion system. *Nanotechnology*. 2010;21(1):1-9.

- Casiraghi A, Ardovino P, Minghetti P, Botta C, Gattini A, and Montanari L. Semisolid formulations containing dimethyl sulfoxide and alpha-tocopherol for the treatment of extravasation fantiblastic agents. Arch Dermatol Res. 2007;299:201-207.
- Nielloud F, Mestres JP, and Marti-Mestres G. Consideration of the formulation of benzoyl peroxide at ambient temperature: Choice of non-polar solvent and preparation of submicron emulsion gels. *Drug Dev Ind Pharm*. 2002;28(7):863-870.
- 22. D'Cruz OJ, Yiv SH, and Uckum FM. GM-144, a novel lipophilic vaginal contraceptive gel-microemulsion. *AAPS Pharm Sci Tech.* 2001;2(1):1-10.
- Hua L, Weisan P, Jiayu L, and Hongfei L. Prepartion and evaluation of microemulsion of vinpocetine for transdermal delivery. *Pharmazie*. 2004;59(4):274-278.
- ten Tije AJ, Loos WJ, Verweij J, Baker SD, Dinh K, Figg WD, and Sparreboom A. Disposition of polyoxyethylated excipients in humans: Implications for drug safety and formulation approaches. *Clin Pharmacol Ther*. 2003;74:509-510.
- 25. Bonina FP, Carelli V, Di Colo G, Montenegro L, and Nannipieri E. Vehicle effects on in vitro skin permeation of and stratum corneum affinity for model drugs caffeine and testosterone. *Int J Pharm.* 1993;100:41-47.
- 26. Moreau JP, Vachon PJ, and Huneau MC. Elevated glycemia and local inflammation after injectingN-methyl-2pyrrolidone (NMP) into the marginal ear vein of rabbits. *Contemp Top Lab Anim Sci.* 2001;40(1):38-40.
- 27. Hisatomi A, Kimura M, Maeda M, Matsumoto M, Ohara K, and Noguchi H. Toxicity of polyoxyethylene hydrogenated castor oil 60 (HCO-60) in experimental animals. *J Toxicol Sci.* 1993;18(Suppl. 3):1-9.
- Sanchez H, Bigard X, Veksler V, Mettauer B, Lampert E, Lonsdorfer J, and Ventura-Clapier R. Immunosuppressive treatment affects cardiac and skeletal muscle mitochondria by the toxic effect of vehicle. *J Mol Cell Cardiol*. 2000;32:323-331.
- 29. Tatou E, Mossiat C, Maupoil V, Gabrielle F, David M, and Rochette L. Effects of cyclosporin and cremophor on working rat heart and incidence of myocardial lipid peroxidation. *Pharmacology*. 1996;52:1-7.
- Jaramillo-Juarez F, Rodriguez-Vazquez ML, Namorado MC, and Reyes JL. Acidosis and weight loss are induced by cyclosporin A in uninephrectomized rats. *Pediatr Nephrol.* 2000;14(2):122-127.
- 31. Chan FK and Shaffer EA. Cholestatic effects of cyclosporine in the rat. Transplantation. 1997;63(11):1574-1578.
- Hirai O, Miyamae Y, Zaizen K, Miyamoto A, Takashima M, Hattori Y, Ohara K, and Mine Y. Mutagenicity tests of polyoxyethylene hydrogenated castor oil 60 (HCO-60). J Toxicol Sci. 1994;19(2):89-96.
- Yu A, Guo C, Zhou Y, Cao F, Zhu W, Sun M, and Zhai G. Skin irritation and the inhibition effect on HSV-1 in vivo of penciclovir-loaded microemulsion. *Int Immunopharmacol.* 2010;10:1305-1309.
- Soliman SM, Malak NSA, El-Gazayerly ON, and Rehim AAA. Formulation of microemulsion gel systems for transdermal delivery of celecoxib: In vitro permeation, anti-inflammatory activity and skin irritation tests. *Drug Discov Ther.* 2010;4(6):459-471.
- Ammar HO, Salama HA, Ghorab M, and Mahmoud AA. Nanoemulsion as a potential ophthalmic delivery system for dorzolamide hydrochloride. AAPS Pharm Sci Tech. 2009;10(3):808-819.
- 36. Pham AQ, Berz D, Karwan P, and Colvin GA. Cremophor-induced lupus erythematosus-like reaction with taxol administration: A case report and review of the literature. *Case Rep Oncol.* 2011;4(3):526-530.
- Kalavala M, Hughes TM, and Stone NM. Allergic contact dermatitis to polyethylene glycol-7 hydrogenated castor oil. Contact Derm. 2007;56:287-288.

- Ninomiya H, Hanada T, Nakazawa M, Aoki Y, Shibuya A, Nagasawa T, and Abe T. Immunological erythroblastopenia induced by HCO-60 as a solvent of enocitabine (BH-AC). Acta Haematol Jpn. 1987;50(4):777-783.
- 39. Andersen FA (ed). Final Report on the Safety Assessment of Ricinus Communis (Castor) Seed Oil, Hydrogenated Castor Oil, Glyceryl Ricinoleate, Glyceryl Ricinoleate SE, Ricinoleic Acid, Potassium Ricinoleate, Sodium Ricinoleate, Zinc Ricinoleate, Cetyl Ricinoleate, Ethyl Ricinoleate, Glycol Ricinoleate, Isopropyl Ricinoleate, Methyl Ricinoleate, and Octyldodecyl Ricinoleate. *IJT*. 2007;26(Suppl 3):31-77.
- Burnett CL, Fiume MM, Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler DC, Marks Jr JG, Shank RC, Slaga TJ, Snyder PW, and Andersen FA. Plant-Derived Fatty Acid Oils as Used in Cosmetics. Washington, DC, Cosmetic Ingredient Review. 2011.
- 41. Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler DC, Marks Jr JG, Shank RC, Slaga TJ, Snyder PW, and Andersen FA. Amended Safety Assessment of Triethylene Glycol and Polyethylene Glycols (PEGs)-4, -6, -7, -8, -9, -10, -12, -14, -16, -18, -20, -32, -33, -40, -45, -55, -60, -75, -80, -90, -100, -135, -150, -180, -200, -220, -240, -350, -400, -450, -500, -800, -2M, -5M, -7M, -9M, -14M, -20M, -23M, -25M, -65M, -90M, -115M, -160M and -180M and any PEGs ≥ 4 as used in Cosmetics. Washington, DC, Cosmetic Ingredient Review. 2010.
- 42. Becker LC, Bergfeld WF, Belsito DV, Klaassen CD, Marks Jr JG, Shank RC, Slaga TJ, Snyder PW, and Andersen FA. Safety Assessment of Simmondsia Chinensis (Jojoba) Seed Oil, Simmondsia Chinensis (Jojoba) Seed Wax, Hydrogenated Jojoba Oil, Hydrolyzed Jojoba Esters, Isomerized Jojoba Oil, Jojoba Esters, Simmondsia Chinensis (Jojoba) Buter, Jojoba Alcohol, and Synthetic Jojoba Oil. Washington, DC, Cosmetic Ingredient Review. 2008.
- 43. Andersen FA (ed). Final Amended Report on the Safety Assessment of Mink Oil. IJT. 2005;24(Suppl 3):57-64.
- Fiume MM, Bergfeld WF, Belsito DV, Klaassen CD, Liebler DC, Hill RA, Marks Jr JG, Shank RC, Slaga TJ, Snyder PW, and Andersen FA. Alkyl PEG ethers as used in cosmetics. Washington, DC, Cosmetic Ingredient Review. 2010. pp. 1-99.