
Safety Assessment of Diacetone Alcohol as Used in Cosmetics

Status: Draft Tentative Report for Panel Review
Release Date: February 16, 2021
Panel Meeting Date: March 11 – 12, 2021

The Expert Panel for Cosmetic Ingredient Safety members are: Chair, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; David E. Cohen, M.D.; Curtis D. Klaassen, Ph.D.; Daniel C. Liebler, Ph.D.; Lisa A. Peterson, Ph.D.; Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. Previous Panel member involved in this assessment: James G. Marks, Jr., M.D. The Cosmetic Ingredient Review (CIR) Executive Director is Bart Heldreth, Ph.D. This safety assessment was prepared by Priya Cherian, Scientific Analyst/Writer, CIR.



Commitment & Credibility since 1976

Memorandum

To: Expert Panel for Cosmetic Ingredient Safety Members and Liaisons
From: Priya Cherian, Scientific Analyst/Writer, CIR
Date: February 16, 2021
Subject: Safety Assessment of Diacetone Alcohol as Used in Cosmetics

Enclosed is the Draft Tentative Report of the Safety Assessment of Diacetone Alcohol as Used in Cosmetics (*diacet032021rep*). At the September 2020 meeting, the Expert Panel for Cosmetic Ingredient Review Safety (Panel) issued an Insufficient Data Announcement (IDA) for this ingredient. In order to come to a conclusion of safety, the Panel requested impurities data. Since the previous review of this report, no new data have been received.


Included in this package for your review are the report history (*diacet032021hist*), data profile (*diacet032021prof*), search strategy (*diacet032021strat*), minutes (*diacet032021min*) and flow chart (*diacet032021flow*). In addition, updated 2021 FDA VCRP data (*diacet032021FDA*) have been incorporated into the report. The total number of uses, compared to 2020 FDA VCRP data, have decreased, from 239 to 107 formulations.

The Panel should carefully consider and discuss the data (or lack thereof), and the draft Abstract and draft Discussion presented in this report. A Tentative Report with a safe, safe with qualifications, unsafe, insufficient data, or split conclusion should then be issued.

SAFETY ASSESSMENT FLOW CHART

INGREDIENT/FAMILY Diacetone Alcohol

MEETING March 2021



Diacetone Alcohol History

December 2019

-SLR posted

January 2020

-comments on the SLR received from Council

-updated 2020 VCRP data received

-2020 concentration of use data received

September 2020

-Panel reviews Draft Report and issues an IDA for impurities data

-Comments received from council on Draft Report

January 2021

-Updated 2021 FDA VCRP data received

March 2021

-Panel reviews Draft Tentative Report

Diacetone Alcohol Data Profile - March 2021 - Writer, Priya Cherian

				Toxicokinetics			Acute Tox			Repeated Dose Tox			DART		Genotox		Carci		Dermal Irritation			Dermal Sensitization					Ocular Irritation		Clinical Studies	
	Reported Use	Method of Mfg	Impurities	log P	Dermal Penetration	ADME	Dermal	Oral	Inhalation	Dermal	Oral	Inhalation	Dermal	Oral	In Vitro	In Vivo	Dermal	Oral	In Vitro	Animal	Human	In Vitro	Animal	Human	Phototoxicity	In Vitro	Animal	Retrospective/ Multicenter	Case Reports	
Diacetone Alcohol	x	x		x	x	x	x	x	x			x	x							x	x						x		x	

* "x" indicates that data were available in a category for the ingredient

Diacetone Alcohol

Ingredient	CAS #	InfoB	PubMed	TOXNET	FDA	EU	ECHA	IUCLID	SIDS	ECETOC	HPVIS	NICNAS	NTIS	NTP	WHO	FAO	NIOSH	FEMA	Web
Diacetone Alcohol	123-42-2	yes	yes	yes	yes	yes	yes	no	yes	no	no	yes	yes	yes	no	no	no	no	yes

Typical Search Terms

- INCI name (Diacetone Alcohol)
- CAS number (123-42-2)
- 4-hydroxy-4-methylpentan-2-one
- 2-hydroxy-2-methyl-4-pentanone
- 4-hydroxy-4-methyl-2-pentanone
- 2-pentanone,4-hydroxy-4-methyl-
- Cosmetic
- Irritation
- Dermal
- Sensitization
- Toxicity
- Medicine
- Pharmaceutical
- Industrial
- Genotoxicity
- Carcinogenicity
- Cancer
- Metabolism

LINKS**Search Engines**

- Pubmed (- <http://www.ncbi.nlm.nih.gov/pubmed>)
- Toxnet (<https://toxnet.nlm.nih.gov/>); (includes Toxline; HSDB; ChemIDPlus; DART; IRIS; CCRIS; CPDB; GENE-TOX)
- Scifinder (<https://scifinder.cas.org/scifinder>)

appropriate qualifiers are used as necessary

search results are reviewed to identify relevant documents

Pertinent Websites

- wINCI - <http://webdictionary.personalcarecouncil.org>
- FDA databases <http://www.ecfr.gov/cgi-bin/ECFR?page=browse>
- FDA search databases: <http://www.fda.gov/ForIndustry/FDABasicsforIndustry/ucm234631.htm>;
- EAFUS: <http://www.accessdata.fda.gov/scripts/fcn/fcnavigation.cfm?rpt=eafuslisting&displayall=true>
- GRAS listing: <http://www.fda.gov/food/ingredientspackaginglabeling/gras/default.htm>
- SCOGS database: <http://www.fda.gov/food/ingredientspackaginglabeling/gras/scogs/ucm2006852.htm>
- Indirect Food Additives: <http://www.accessdata.fda.gov/scripts/fdcc/?set=IndirectAdditives>
- Drug Approvals and Database: <http://www.fda.gov/Drugs/InformationOnDrugs/default.htm>
- <http://www.fda.gov/downloads/AboutFDA/CentersOffices/CDER/UCM135688.pdf>

- FDA Orange Book: <https://www.fda.gov/Drugs/InformationOnDrugs/ucm129662.htm>
- OTC ingredient list: <https://www.fda.gov/downloads/aboutfda/centersoffices/officeofmedicalproductsandtobacco/cder/ucm135688.pdf>
- (inactive ingredients approved for drugs: <http://www.accessdata.fda.gov/scripts/cder/iig/>
- HPVIS (EPA High-Production Volume Info Systems) - <https://ofmext.epa.gov/hpvis/HPVISlogon>
- NIOSH (National Institute for Occupational Safety and Health) - <http://www.cdc.gov/niosh/>
- NTIS (National Technical Information Service) - <http://www.ntis.gov/>
- NTP (National Toxicology Program) - <http://ntp.niehs.nih.gov/>
- Office of Dietary Supplements <https://ods.od.nih.gov/>
- FEMA (Flavor & Extract Manufacturers Association) - http://www.femaflavor.org/search/apachesolr_search/
- EU CosIng database: <http://ec.europa.eu/growth/tools-databases/cosing/>
- ECHA (European Chemicals Agency – REACH dossiers) – <http://echa.europa.eu/information-on-chemicals;jsessionid=A978100B4E4CC39C78C93A851EB3E3C7.live1>
- ECETOC (European Centre for Ecotoxicology and Toxicology of Chemicals) - <http://www.ecetoc.org>
- European Medicines Agency (EMA) - <http://www.ema.europa.eu/ema/>
- IUCLID (International Uniform Chemical Information Database) - <https://iuclid6.echa.europa.eu/search>
- OECD SIDS (Organisation for Economic Co-operation and Development Screening Info Data Sets)- <http://webnet.oecd.org/hpv/ui/Search.aspx>
- SCCS (Scientific Committee for Consumer Safety) opinions: http://ec.europa.eu/health/scientific_committees/consumer_safety/opinions/index_en.htm
- NICNAS (Australian National Industrial Chemical Notification and Assessment Scheme)- <https://www.nicnas.gov.au/>
- International Programme on Chemical Safety <http://www.inchem.org/>
- FAO (Food and Agriculture Organization of the United Nations) - <http://www.fao.org/food/food-safety-quality/scientific-advice/jecfa/jecfa-additives/en/>
- WHO (World Health Organization) technical reports - http://www.who.int/biologicals/technical_report_series/en/
- www.google.com - a general Google search should be performed for additional background information, to identify references that are available, and for other general information

Fragrance Websites, if applicable

- IFRA (International Fragrance Association) – <http://www.ifraorg.org/>
- Research Institute for Fragrance Materials (RIFM)

SEPTEMBER 2020 PANEL MEETING – INITIAL REVIEW/DRAFT REPORT**Belsito Team – September 14, 2020**

DR. BELSITO: Okay. This is the first time we're looking at this ingredient. It's a fragrance ingredient and a solvent, so we need to look at it and determine where we are with it. So one of the question that I had are there other beta-hydroxy ketones that could be added to this report?

MS. FIUME: I'd defer that to Bart and Dan because I don't have that answer.

DR. BELSITO: Okay. Oh, that would be just one thing to look into. We don't have impurities, but, based on manufacturing, Dan and Curt and Paul, do you feel we need them?

DR. LIEBLER: I think what we really need is not so much an explicit composition because it's very clear from the method of manufacture, but we do need a typical purity level of the cosmetic ingredient. The method of manufacture concludes by saying, "The crude Diacetone Alcohol is then purified via distillation." But the purity level should be indicated. That could be even the sentence under, you know, impurity is reported to be X percent. I think that that's not going to be a problem, but it should be indicated and that, I doubt, would be anybody's secret sauce.

MS. KOWCZ: So impurities.

DR. BELSITO: Okay. So you want in method of manufacture, you want the purities stated?

DR. LIEBLER: Yeah or put it under impurities.

DR. BELSITO: So it's insufficient for purity.

DR. LIEBLER: Yes. And I do have a comment on method of manufacture where it says it's an ingredient in sleepy grass. Unless it's commercially -- they can (audio skip) the commercial ingredient is purified from sleepy grass, we could just take that phrase out. And just say that it's typically manufactured synthetically via dimerize- if that's true.

MS. CHERIAN: Okay.

DR. BELSITO: Okay. Now, I just want to point out that leave-on concentration is extremely low except in nail works -- 0.25 percent -- which is still very low.

DR. LIEBLER: Yeah.

DR. BELSITO: So does that impurities still bother you, Dan? We're talking about leave ons of 0.0009 as the highest.

DR. LIEBLER: Right. No, I get your point. I think at this stage for the report, it's very reasonable to ask for that.

DR. BELSITO: Okay.

DR. LIEBLER: And I feel that we're heading towards safe as used.

DR. BELSITO: Okay.

DR. SNYDER: Yeah. Tox profile's pretty good. It's a very large NOAEL.

DR. BELSITO: Right. I had a question for you, Paul, on page 12 of the PDF. It says, no observed adverse effect level for parental toxicity -- this is in the first paragraph -- was a hundred milligram per kilogram. But then it says that at a hundred milligram per kilogram, there were hyaline droplets in the proximal tubular epithelium in males. Is that not an adverse effect?

DR. SNYDER: No. It's a common male rat thing.

DR. BELSITO: Okay. Good.

DR. KLAASSEN: I would like to suggest in the chemical properties section, while it's in the table below, I think we should give in chemicals properties in the text what the molecular weight is and what the octanol water partition is. That is just such an important chemical property, and I think we should have it always listed in chemical property.

DR. BELSITO: Okay.

DR. HELDRETH: Will do.

DR. KLAASSEN: What?

DR. HELDRETH: Will do.

DR. KLAASSEN: Oh, will do. Thank you.

DR. BELSITO: Okay. Paul, another question for you on page 13 of the PDF, the top paragraph, it says, "Unossified or incomplete ossification of various parts of the skeleton were noted... These findings were associated with the presence of cartilage and considered non-adverse effects." Is that true?

DR. SNYDER: Yes, it's again -- those skeletal ossifications centers, they -- if that's the -- basically, the paper that I sent to the staff was a good paper because it said that, in the absence of any other skeletal defects, that you don't want to over-interpret those because they're so common and they're so variable throughout the study.

So when I see a study like that, if I don't see any other skeletal abnormalities -- you know, deformed limbs or anything like that -- and that's the only thing that they saw -- and that's also what these guys concluded -- that it was a non-adverse finding. It occurred, but it was considered to be non-adverse because of the absence of any other findings.

DR. BELSITO: Okay. And then just one last question for Dan. Given the negative DART findings and all the other data, do we still the impurities?

DR. LIEBLER: I wasn't saying we need impurities, but I would like to have the purity level --

DR. BELSITO: Okay.

DR. LIEBLER: -- the purity of the product that's typically used in cosmetics, and it sounded like from a quick comment Alex made that that shouldn't be hard to get.

DR. BELSITO: Okay. So we're basically going insufficient for purity level.

DR. LIEBLER: Yep. Piece of cake.

DR. BELSITO: And then, Monice, you all search and see whether there are other ketones that would be appropriate for this?

MS. FIUME: Yes, we'll take a look to it.

DR. HELDRETH: I actually took a look to see if there was anything remotely close. I only came up with one, and I hesitate to even say that it's closest to dihydroxy acetone. I think it itself is also pretty different, and it's by far the closest thing to this ingredient.

DR. BELSITO: Okay.

DR. HELDRETH: I wouldn't suggest any addons, but I'll leave that up to Dan and Lisa.

DR. LIEBLER: Does it have different uses, Bart?

DR. HELDRETH: Uh, let's see. Its reported functions are colorant and skin conditioning agent miscellaneous.

DR. LIEBLER: I see.

DR. HELDRETH: So it's an approved colorant in the U.S.

DR. LIEBLER: Yeah. Dihydroxy acetone, interesting. I don't know. I mean, if it appeared in this report in the first place, I'd probably wouldn't really bat an eye. But, if there's no driving programmatic reason to review it right now, it doesn't need to go anywhere. We got a pretty good thing going as it.

DR. BELSITO: Okay. Anything else? Okay. So the next is Red Algae. Before we go on to that, do you want to take a bio break because I think this is going to potentially be longer than a half hour?

DR. LIEBLER: Sounds good.

DR. BELSITO: Yeah. So let's take a ten-minute break. It's 2:27. Try and be back around 2:37/2:40.

DR. LIEBLER: Sounds good. Thanks.

DR. BELSITO: Okay.

Marks Team – September 14, 2020

DR. MARKS: We're going to go to the diacetone alcohol, and this is a draft report. It's the first time that we've seen this single ingredient. And as Wilma mentioned earlier, this has two uses: as a fragrance and a solvent. And normally, if an ingredient -- and Bart, clarify this or modify it -- if it's only used as a fragrance, then we defer to RIFM to do the safety assessment, but this is also being used as a solvent. So that's why I assume that we're reviewing it in the CIR.

DR. HELDRETH: That's correct. If something is only used as a fragrance ingredient and we're of the understanding that RIFM either has or plans to review the safety of it, we'll defer the safety to them so that we're not redundant. But if there are

other uses, like solvent, or if RIFM makes it clear to us they have no plans to look at the safety of this ingredient, then the Panel may choose to review the ingredient anyway.

DR. MARKS: So I'll call on Lisa, Ron, and Tom now. If there are multiple ingredients I would ask them, "Are all these ingredients okay?" Look at it from a chemistry point of view or whatever. Since there's only one ingredient, for Lisa, Ron, and Tom, do you have needs?

I was particularly interested in whether or not we could proceed with the impurities and then also about respiratory irritation. But again, Lisa, Ron, Tom, pipe in. What needs do we have? And at this point we either issue an insufficient data announcement -- so that gives the public time to respond to our questions -- our insufficiencies -- or we can move with a tentative report. So Lisa, Ron, Tom, comments, needs?

DR. SHANK: We have extensive toxicity data, and there are no concerns for use in cosmetics at the concentrations that are used. Sensitization doesn't seem to be a concern. I think the chemistry data is sufficient, but that's what Dr. Lisa -- or Dr. Peterson can comment on that. So I think it's safe as used.

DR. MARKS: And you weren't concerned about the respiratory irritation on page 14, Ron, because the concentration issue was --

DR. SHANK: Yes. And if the Panel feels that's a concern, I think that could be handled with the boilerplate.

DR. SLAGA: I agree with Ron, and to add, it's really a food additive, too. And it's been used for a long time for that purpose.

DR. PETERSON: So I -- there is no impurity information, and I was reading all of the previous reports and noting that Dan always asks for impurities if it's not there. And I agree that it's probably not a big issue, but I think basically trying to get some information on the impurities I think is a good idea to know what they are, if there are any.

DR. MARKS: Okay. Lisa, I highlighted the same thing and for the same reason. I would say our direction is this ingredient is safe, but we should probably issue an insufficient data announcement for impurities. What do you feel, Lisa?

DR. PETERSON: Yeah. I agree with that.

DR. SHANK: Okay.

DR. SLAGA: Okay here too.

DR. PETERSON: Besides, Dan is going to say the same thing, so it's going to get hung up anyway. But I do believe the best practice is to ask for the impurities.

DR. SHANK: I keep losing the sound. Does anybody else have a sound problem?

DR. SLAGA: I don't.

DR. MARKS: I guess one of the things might be if somebody's not speaking. I'm keeping my mic on all the time, but if you aren't speaking, maybe, like, David, you can mute your mic. I hesitate, Priya, to tell you to mute your mic, but at the same time, you're so adept you probably have no difficulty. So Ron, is the sound a little better now?

DR. SHANK: Yes. Every once in a while, especially when you talk Jim --

DR. MARKS: Oh, boy.

DR. SHANK: -- I loose maybe five seconds of the sound, and it's usually when you're asking the question or saying what you're going to say tomorrow at the Panel meeting. I don't understand why. It may be that every time somebody signs on as a guest my sound cuts out. I think that's what's happening, but it's only on you, Jim.

DR. MARKS: Lisa, are you having the same problem -- Tom or Wilma, hearing me?

DR. BERGFELD: No, I hear a lot of background noise, but other than that I'm not having trouble. And I hope everybody's having an okay time hearing me.

DR. SHANK: No, I hear you fine.

DR. SLAGA: I don't --

DR. COHEN: I can hear everybody.

DR. SLAGA: I don't have any trouble hearing you, Jim.

DR. MARKS: Okay.

DR. SHANK: Yeah. It's just me.

DR. MARKS: Maybe I've got a bottle of Aldo's Zinfandel. It may come in clearer. So tomorrow I will second a motion presumably that's going to be insufficient in data announcement for impurities. In the future, we will expect that there's going to be a safe conclusion as sort of a headline what's coming up. But the only unmet need is impurities at this point. Sound good, Ron? Could you hear all that?

DR. SHANK: I did. Thank you.

DR. MARKS: All right. Okay. We'll move on to the next ingredient in a minute. Oh. Don't you laugh, Wilma. I don't even have to look at you to see that. So welcome to the CIR, David, and to red algae.

Full Panel – September 15, 2020

DR. BELSITO: Okay, so, we looked at this material, one question was whether other materials could be added to the report. We decided there were none. And, after looking at all the data we thought that it was insufficient for impurity of the final product.

DR. BERGFELD: Okay. So it's a motion, insufficient for impurities?

DR. BELSITO: Right.

DR. MARKS: Second.

DR. BERGFELD: Okay.

DR. LIEBLER: You know, I hate to hold up the whole report just for impurity, but you know how I am about these things.

DR. MARKS: Listen Dan, we agreed with you; there was no hesitation. The preview is in the future it'll go out as a safe, but we agree with you; we want impurities.

DR. BERGFELD: Any other discussion? I'm going to call the question. All those voting against this motion of insufficient, please indicate by stating your name. Hearing none, this is a unanimous decision to go forward as insufficient.

Safety Assessment of Diacetone Alcohol as Used in Cosmetics

Status: Draft Tentative Report for Panel Review
Release Date: February 16, 2021
Panel Meeting Date: March 11 – 12, 2021

The Expert Panel for Cosmetic Ingredient Safety members are: Chair, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; David E. Cohen, M.D.; Curtis D. Klaassen, Ph.D.; Daniel C. Liebler, Ph.D.; Lisa A. Peterson, Ph.D.; Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. Previous Panel member involved in this assessment: James G. Marks, Jr., M.D. The Cosmetic Ingredient Review (CIR) Executive Director is Bart Heldreth, Ph.D. This safety assessment was prepared by Priya Cherian, Scientific Analyst/Writer, CIR.

ABSTRACT

The Expert Panel for Cosmetic Ingredient Safety (Panel) assessed the safety of Diacetone Alcohol as used in cosmetic formulations. This ingredient is reported to function as a fragrance ingredient and solvent. The Panel considered the available data and concluded that...[to be determined].

INTRODUCTION

This is a safety assessment of Diacetone Alcohol as used in cosmetic formulations. According to the web-based *International Cosmetic Ingredient Dictionary and Handbook* (wINCI; *Dictionary*), this ingredient is reported to be used in cosmetics as a fragrance ingredient and solvent.¹

This safety assessment includes relevant published and unpublished data that are available for each endpoint that is evaluated. Published data are identified by conducting an exhaustive search of the world's literature. A listing of the search engines and websites that are used and the sources that are typically explored, as well as the endpoints that the Expert Panel for Cosmetic Ingredient Safety (Panel) typically evaluates, is provided on the Cosmetic Ingredient Review (CIR) website (<https://www.cir-safety.org/supplementaldoc/preliminary-search-engines-and-websites>; <https://www.cir-safety.org/supplementaldoc/cir-report-format-outline>). Unpublished data are provided by the cosmetics industry, as well as by other interested parties.

Much of the data included in this safety assessment was found on the European Chemicals Agency (ECHA) database² or was available from the Organisation for Economic Cooperation and Development (OECD) Screening Information Dataset (SIDS) reports.³ Please note that the ECHA website and OECD SIDS document provides summaries of information generated by industry, and when cited herein, it is those summary data that are incorporated into this safety assessment.

CHEMISTRY**Definition and Structure**

Diacetone Alcohol (CAS No. 123-42-2; molecular weight = 116.16 g/mol; log K_{ow} = 1.03) is a beta-hydroxy ketone formed by hydroxylation of 4-methylpentan-2-one at the 4-position.⁴ According to the *Dictionary*, this ingredient is a ketone that conforms to the structure:




Figure 1. Diacetone Alcohol

Chemical Properties

Diacetone Alcohol is a clear, colorless liquid with a faint, minty odor.⁵ This ingredient is miscible in water, alcohol, ether, and other solvents.⁶ A list of chemical properties for Diacetone Alcohol is provided in Table 1.

Method of Manufacture

The following methods of manufacturing are general to the production of Diacetone Alcohol, and it is unknown whether they are used in the manufacture of Diacetone Alcohol for use in cosmetics.

Diacetone Alcohol is typically manufactured synthetically via the dimerization of acetone.^{7,8} Diacetone Alcohol may be prepared by the action of alkali metal hydroxides (calcium hydroxide or barium hydroxide).⁹ Acetone is first placed in a round-bottom flask with a Soxhlet extractor fitted with a reflux condenser. Two thimbles are placed in the extractor, each containing barium hydroxide and glass wool. The flask is then heated until the reaction is complete (approximately 95 to 120 h). The crude Diacetone Alcohol is then purified via distillation.

Impurities

Impurities data were not found in the published literature, and unpublished data were not submitted.

USE**Cosmetic**

The safety of the cosmetic ingredient addressed in this assessment is evaluated based on data received from the US Food and Drug Administration (FDA) and the cosmetics industry on the expected use of this ingredient in cosmetics. Use frequencies of individual ingredients in cosmetics are collected from manufacturers and reported by cosmetic product category in the FDA Voluntary Cosmetic Registration Program (VCRP) database. Use concentration data are submitted by

the cosmetic industry in response to a survey, conducted by the Personal Care Products Council (Council), of maximum reported use concentrations by product category.

According to 2021 VCRP survey data, Diacetone Alcohol is reported to be used in 107 nail formulations (uses were not reported in any other product category in the VCRP; Table 2).¹⁰ However, the results of a concentration of use survey conducted by Council in 2019 indicate that Diacetone Alcohol is used in several different product categories. The highest maximum concentration of use reported is 9.2% in rinse-off shaving products (a “razor lube strip”); all other uses are at 0.84% or below. Diacetone Alcohol is used at up to 0.84% in nail polish and enamel formulations, and the highest concentration resulting in leave-on dermal exposure is 0.25% in “other” eye makeup preparations.¹¹ In many cases, reports of uses in certain categories were not reported in the VCRP, but concentration of use data were reported in the industry survey. Therefore, it should be presumed there is at least one use in every category for which a concentration is reported.

Diacetone Alcohol is reported to be used in formulations near the eye (e.g., other eye makeup preparations) at concentrations of up to 0.25%. It is also reported to be used in baby shampoos at up to 0.0011%.

Diacetone Alcohol is not restricted from use in any way under the rules governing cosmetic products in the European Union.¹²

Non-Cosmetic

Diacetone Alcohol is used as a solvent for cellulose acetate, nitrocellulose, celluloid, fats, oils, waxes, and resins.⁶ It is also used in industrial coatings, household cleaners, inks, paints, paint removers, paint thinners, sealants, primers pesticides, antifreeze solutions, and hydraulic fluids.¹³ Diacetone Alcohol is approved as an indirect food additive for the use of adhesives as a component (monomer) of articles intended for use in packaging, transporting, or holding food in accordance with the conditions prescribed in 21 CFR 175.105.¹⁴

The National Institute for Occupational Health and Safety (NIOSH) established a recommended inhalation exposure limit of 50 ppm for Diacetone Alcohol over a 10-h work day.⁵ Similarly, the permissible exposure level for Diacetone Alcohol exposure over a 8-h work day was determined to be 50 ppm, according to Occupational Safety and Health Administration (OSHA).¹⁵

TOXICOKINETIC STUDIES

Dermal Penetration

In Vitro

The in vitro dermal penetration rate of radiolabeled Diacetone Alcohol spiked with non-radiolabeled Diacetone Alcohol was studied in human cadaver skin taken from the abdominal region.¹⁶ A minimum of 6 replicates represented by at least three donors were used. A standard in vitro diffusion cell model was used for this procedure. The test substance, in water, was applied to skin samples at a dose of 25 mg/cm² for either 10 min, 1 h, or 24 h. Total recovery (amount of test substance recovered in receptor solution), based on liquid scintillation count data for total radioactivity, was between 89.6 and 91.7% of the applied dose. Skin penetration (amount of test substance found in the skin) was 0.04, 0.15, and 5.71% of the dose after 10 min, 60 min, and 24 h, respectively.

Absorption, Distribution, Metabolism, and Excretion (ADME)

Animal

An evaluation of the plasma pharmacokinetic profile of Diacetone Alcohol was performed in 9 male Sprague-Dawley rats according to OECD Test Guideline (TG) 417.² Diacetone Alcohol (5.81 g) was weighed and mixed with 18.25 g corn oil, and administered to the animals via gavage. Blood samples were sampled from animals at 0.25, 0.5, 1, 2, 3, 6, 9, 12, and 24 h post-dosing. Diacetone Alcohol was quantifiable in the plasma from 0.25 h to 24 h post-dosing. An initial plasma concentration peak at 4.40 mmol/l was reached 1 h post-dosing, but the maximum concentration was observed 6 h post-dosing, indicating a prolonged absorption phase. The terminal half-life was determined to be 2.3 h. The plasma levels of the potential metabolites, methyl isobutyl carbinol and methyl isobutyl ketone, were below the lower limit of quantification at all time-points.

TOXICOLOGICAL STUDIES

Acute Toxicity Studies

Details regarding the acute toxicity studies summarized below are provided in Table 3.

The dermal LD₅₀ in Wistar rats was >1875 mg/kg bw; this dose was applied for 24 h using an occlusive patch.² In rabbits, the dermal LD₅₀ was reported to be 14.5 ml/kg in one study (occlusive 24-h patch), and > 13,630 mg/kg bw in another study (details not provided).³ Several acute oral toxicity studies were performed with Diacetone Alcohol. The lowest LD₅₀s reported for mice, rats, and rabbits were 3950, 2520, and 4653 mg/kg bw, respectively.^{2,3,17} An acute inhalation

toxicity study was performed in Wistar rats exposed to aerosolized Diacetone Alcohol (7.6 mg/l) for 4 h.² The inhalation maximum tolerable concentration (LC₀) of Diacetone Alcohol was reported to be greater than 7.6 mg/l.

Short-Term Toxicity Studies

Oral

Groups of 10 albino rats (sex not specified) were given Diacetone Alcohol in drinking water for 30 d in concentrations resulting in doses of 0, 10, 40, or 130 mg/kg bw/d.¹⁸ No deaths occurred throughout the study. In one rat dosed with 40 mg/kg bw/d, cloudy swelling and degeneration of renal tubular epithelium was noted. No adverse effects were reported in any rats at the 10 mg/kg bw/d dose level. No other details regarding this study were provided.

A combined repeated dose toxicity study with a reproduction/developmental toxicity screening test was performed using SD(Crj:CD(SD)) SPF rats (10/sex/group) according to OECD TG 422.² Rats were treated with Diacetone Alcohol in water via gavage at doses of 30, 100, 300, or 1000 mg/kg bw/d. Males were treated for 44 d while females were treated for 41 - 45 d. Treated males and females were mated, and the F1 and parent generations were evaluated. Findings in parental animals included decreased locomotion and decreased response to stimulation in 300 and 1000 mg/kg bw/d males. Increases in platelet count, glutamic oxaloacetic transaminase, choline esterase, total protein, total cholesterol, total bilirubin, blood urea nitrogen, creatinine, and calcium, as well as a decrease in glucose at 1000 mg/kg bw/d was observed in males and females. Increased kidney weights were noted at 300 and 1000 mg/kg bw/d in males, and increased liver and adrenal weights were noted in males treated with 1000 mg/kg bw/d. Histological evaluation of kidney tissues confirmed the presence of hyaline droplets in the proximal tubular epithelium in males dosed with 100 mg/kg bw/d or higher, and basophilic tubules in males dosed with 300 and 1000 mg/kg bw/d. Hepatocellular hypertrophy was noted in the livers of male rats treated with 1000 mg/kg bw/d, and vacuolization of the cells of the zona fasciculata were noted in the adrenals of males treated with 300 and 1000 mg/kg bw/d. In females, a reduction of pre-mating body weight gain, histopathological changes of the liver and adrenals, and an increase in liver weight was observed in high-dose females. Dilution of the distal tubules and fatty degeneration of the proximal tubule epithelium in the kidneys were noted in female rats dosed with 300 and 1000 mg/kg bw/d. The NOAEL for parental systemic toxicity was considered to be 100 mg/kg/d. Results regarding the reproductive effects evaluated in this study are presented in the Developmental and Reproductive Toxicity section of this report.

Inhalation

The potential inhalation toxicity of undiluted Diacetone Alcohol vapor was evaluated in Wistar rats (12/sex/group) exposed to 0, 230, 1040, and 4500 mg/m³ of the test substance for 6 h/d, 5 d/wk, for 6 wk.¹⁹ Rats were exposed in 1-m³ chambers with a flow rate of approximately 0.45 m³/min. No deaths occurred throughout the duration of the experiment. No clinical signs of toxicity were noted up until wk 4 of exposure, however, during w 4 and 5, slight lethargy was noted in several of the animals exposed to the medium and high concentrations when they were examined 30 min after cessation of exposure. Body weights of females exposed to high concentrations were significantly lower than control animals at wk 6. No significant differences were noted in any other group. Blood was taken from each rat 17 h after the last exposure session. Lactase dehydrogenase levels were significantly higher in females exposed to high concentrations compared to controls. In males, plasma protein levels were increased in the high concentration group, plasma chloride levels were reduced in animals of the medium and high concentration groups, and plasma sodium levels were reduced in animals at all test concentrations. Examination of animals post-mortem showed male liver weights to be significantly higher than controls in the medium and high concentration groups, and male kidney weights were significantly higher than controls in the high concentration group. The kidneys of all males, excluding one, exposed to the high concentration showed eosinophilic hyaline droplets in the proximal tubular cells. Other abnormalities included alveolar wall thickening and minor inflammatory infiltrates in the lungs, and similar infiltrates in the nasal cavities and trachea.

Subchronic Toxicity Studies

Oral

A subchronic toxicity study was performed according to OECD TG 408.² Sprague-Dawley rats were given Diacetone Alcohol in corn oil via gavage in doses of 0, 25, 150, or 600 mg/kg bw/d. Fifteen animals/sex were used in the 0 and 600 mg/kg bw/d test groups, and 10 animals/sex were used in the 25 and 150 mg/kg bw/d test groups. Animals were treated once daily for 13 wk. On completion of the treatment period, animals in each group were sacrificed, with the exception of the recovery animals (5 animals/sex in the control and high-dose groups), which were kept for a 6-wk treatment-free period. Non-adverse, slightly lower body weights were recorded from wk 10 in males treated with the highest dose. When compared with controls, a slightly higher neutrophil count was noted in males treated with 600 mg/kg bw/d. In females, mean red blood cell count was statistically significantly decreased at 150 and 600 mg/kg bw/d when compared with controls, and was associated with lower hemoglobin and packed cell volume at the highest dose level. Lower total white blood cell and lymphocyte counts were also noted at the highest dose in females. Moderately higher cholesterol concentration was noted at 600 mg/kg bw/d in both males and females. In addition, in both sexes, administration of 600 mg/kg bw/d induced minimal to slight non-adverse centrilobular hepatocellular hypertrophy that correlated with increases in liver weights and with an increase in the incidence of macroscopically accentuated lobular pattern. In the kidneys of male rats, at the 25, 150, and 600 mg/kg bw/d dose levels, there were increased incidences and severity of tubular hyaline droplets, tubular basophilia, and

granular casts, which correlated with increased kidney weights. Results regarding sperm analysis and estrous cycle monitoring can be found in the Developmental and Reproductive Toxicity Studies section of this report.

DEVELOPMENTAL AND REPRODUCTIVE TOXICITY STUDIES

A prenatal developmental toxicity study was performed in mated female Sprague-Dawley rats (24/group) according to OECD TG 414.² Diacetone Alcohol in corn oil was administered via gavage at doses of 100, 300, and 1000 mg/kg bw/d from day 6 to day 20 of gestation. A group of mated females received the vehicle only under the same experimental conditions and served as the control group. Animals were checked at least once daily for mortality and clinical signs. On day 21 post-coitum, animals were killed and submitted for a macroscopic post-mortem examination. All pregnant females had viable fetuses and there were no unscheduled deaths. Excessive salivation and tremors were observed in dams treated with 1000 mg/kg bw/d. No effect on body weight, body weight change, or food consumption was observed at any dose-level compared to controls. No test article-related effects were reported regarding uterus and carcass weights. A statistically significant increase was noted in mean relative liver and kidney weight values in dams treated with 1000 mg/kg bw/d when compared with controls. There were no effects on mean fetal body weight and sex ratio. In addition, there were no treatment-related effects at external examination and soft tissue examination of fetuses. Unossified or incomplete ossification of various parts of the skeleton were noted in all litters from mothers dosed with 1000 mg/kg bw/d. These findings were associated with presence of cartilage and were considered to be non-adverse effects of the test item treatment. A no-observed-adverse-effect level (NOAEL) for maternal parameters was considered to be 1000 mg/kg bw/d. The NOAEL for embryo-fetal development was considered to be 1000 mg/kg/d.

As described earlier in this report, a combined repeated dose toxicity study with a reproduction/developmental toxicity screening test was performed using SD(Crj:CD(SD)) SPF rats (10/sex/group) according to OECD TG 422.¹ Rats were treated with Diacetone Alcohol in water via gavage at doses of 30, 100, 300, or 1000 mg/kg bw/d. Males were treated for 44 d while females were treated for 41 - 45 d (before and throughout pregnancy). Treated males and females were mated, and the F1 and parent generations were evaluated. A decrease in fertilization rate, number of implantations, and implantation rate was observed at the 1000 mg/kg bw/d dose level. Reduced birth rate, delivery rate, and number of live pups at day 4 of lactation was observed in pups at the 1000 mg/kg bw/d dose level. In one 1000 mg/kg bw/d litter, no pups survived due to death or cannibalism. The NOAEL for reproductive function in males and females, as well as for development of offspring, was considered to be 300 mg/kg bw/d. Findings regarding other toxicity parameters evaluated in this study are provided in the Short-Term Toxicity Studies section of this report.

The possible reproductive effects of Diacetone Alcohol were evaluated in Sprague-Dawley rats, according to OECD TG 408.² As described previously in the Subchronic Toxicity Study section, rats were given Diacetone Alcohol in corn oil via gavage at doses of either 0, 25, 150, or 600 mg/kg bw/d. Fifteen animals/sex were used in the 0 and 600 mg/kg bw/d test groups, and 10 animals/sex were used in the 25 and 150 mg/kg bw/d test groups. On completion of the treatment period, animals in each group were sacrificed, with the exception of the recovery animals (5 animals/sex in the control and high-dose groups), which were kept for a 6-wk treatment-free period. At the end of the treatment period, the number of cycles measured in female animals during a period of 21 d in the high-dose group was slightly lower than in the control group. At the end of the treatment-free period, this effect was no longer observed. There were no test article-related effects on mean epididymal sperm motility and morphology, mean testicular sperm head, and daily production rate. At the highest dose level, lower mean epididymal sperm counts were observed compared to controls; however, a relationship to the test article was considered to be unlikely in view of the low magnitude, the large standard deviations, the absence of microscopic finding in the testis and epididymis, and because individual values are comparable to what can typically be observed when Sprague-Dawley rats are used in laboratory conditions.

GENOTOXICITY

Details of the genotoxicity studies summarized below are provided in Table 4.

Diacetone Alcohol was not mutagenic in multiple Ames tests performed at up to 10,000 µg/plate, with and without metabolic activation.^{2,20,21} Diacetone Alcohol was also evaluated in a yeast mitotic conversion assay (up to 5 mg/ml), and a chromosome assay (up to 4000 µg/ml).²¹ Metabolic activation was used in yeast mitotic assay. The test substance did not induce reverse gene mutation in bacteria or mitotic gene conversion in yeast; however, in the rat liver chromosome assay, a small increase in chromatid damage was observed within the concentration range of 2000 - 4000 µg/ml. A mouse lymphoma assay performed on Diacetone Alcohol at up to 10,000 µg/plate with and without metabolic activation yielded negative results.²²

CARCINOGENICITY STUDIES

Carcinogenicity studies were not found in the published literature, and unpublished data were not submitted.

DERMAL IRRITATION AND SENSITIZATION

Irritation

Animal

A dermal irritation assay was performed according to OECD TG 404.² Undiluted Diacetone Alcohol (0.5 ml) was applied to the shaved skin of New Zealand white rabbits (3/sex) under an occlusive patch. Two test sites were evaluated per animal, one intact, and one abraded. Patches remained on the skin for 24 h. The intact and abraded test sites were examined and scored for erythema and edema at 24 h, 72 h, and 7 d after application. Very slight, transient erythema was observed in 3 animals with abraded skin, which was fully reversible by day 3 in all animals. No irritation was observed in animals with intact skin.

Irritation was also evaluated by brushing the inside of the right ear of rabbits with Diacetone Alcohol, once per day, for 10 successive days.²³ No skin irritation was reported. Similarly, no irritation was performed when guinea pigs were exposed to Diacetone Alcohol on the back, once per day, for 10 consecutive days. Details regarding dosing and number/strain of animals were not reported in either study.

Human

No itching or irritation was reported when a coin-sized amount of Diacetone Alcohol was placed on the back on the hands of human volunteers.²³ The substance evaporated, and the spots on the skin remained healthy thereafter. No details regarding this study were provided.

Sensitization

Animal

A guinea pig maximization test was performed according to OECD TG 406.^{2,24} Thirty Dunkin-Hartley guinea pigs were allocated into two groups: a control group (5 animals/sex) and a treated group (10 animals/sex). On day 1, intradermal injections of an adjuvant mixed with the test substance (25% Diacetone Alcohol in sterile isotonic saline solution) or the vehicle were performed in the dorsal region between the shoulders. On day 7, sodium lauryl sulfate was topically applied to the previously injected site to induce local irritation. On day 8, the same test site was treated with undiluted Diacetone Alcohol or vehicle, and was covered by an occlusive dressing for 48 h. After a 12-d non-treatment period, all animals were challenged with a 24-h occlusive patch of undiluted Diacetone Alcohol that was applied to the right flank. The left flank served as a control and received the vehicle only. Skin reactions were evaluated 24 and 48 h after application. No cutaneous reactions were observed after the challenge application. The test substance was considered to be non-sensitizing.

OCULAR IRRITATION STUDIES

Animal

An acute eye irritation study was performed according to OECD TG 405. Undiluted Diacetone Alcohol (0.1 ml) was placed in the eyes of 3 rabbits (strain not stated).² Animals were observed 1 h and 1, 2, 3, 4, 7, and 14 d post-treatment, and irritation was scored via a Draize scale (maximum score of 4). Slight to moderate conjunctival irritation, slight iritis, and slight to mild corneal opacity was observed. All effects were fully reversible. The mean individual scores over 24, 48, and 72 h were 1.3, 1.7, and 1.7 for chemosis, 1.7, 2.3, and 2.0 for conjunctival redness, 0.3, 1.0, and 0.7 for iritis, and 1.3, 1.0, and 1.7 for corneal opacity. It was concluded that Diacetone Alcohol is irritating to the eyes.

In a different study, albino rabbit eyes were treated with 0.005 ml of undiluted Diacetone Alcohol, with the lids retracted.²⁵ The number of test animals were not stated. After approximately 1 min, the lids were released. Eighteen to 24 h later, the eyes were examined in strong diffuse daylight, then stained with fluorescein to assess injury on a scale of 1 - 10. Diacetone Alcohol was reported to cause grade 5 injury (on a scale of 1 - 10).

Human

Ocular irritation was apparent in 12 male and 12 female subjects exposed to vaporized Diacetone Alcohol at a concentration of 100 ppm for 15 min.²⁶ No other details regarding this study were provided.

CLINICAL STUDIES

Inhalation Exposure

Potential respiratory irritation from Diacetone Alcohol was also evaluated in humans (12/sex).²⁶ Subjects were exposed to vaporized Diacetone Alcohol in a concentration of 100 ppm for 15 min. The majority of the subjects found the odor unpleasant at 100 ppm, complained of an unpleasant taste, and irritation to nose and throat. Although the majority of the subjects indicated that they could work an 8-h day in 100 ppm, 50 ppm appeared to be a more reliable limit. It was concluded that Diacetone Alcohol is irritating to the respiratory tract.

SUMMARY

This assessment addresses the safety of Diacetone Alcohol as used in cosmetics. According to the *Dictionary*, this ingredient is reported to function as a fragrance ingredient and solvent in cosmetic formulations.

According to 2021 VCRP data, Diacetone Alcohol is reported to be used in 107 nail formulations, uses were not reported in any other product category; however, according to the concentration of use survey conducted by Council in 2019, concentrations have been reported for nail formulations, as well as other categories. The highest concentration of use reported for Diacetone Alcohol in leave-on products is 0.84% in nail polish and enamel, and the highest concentration resulting in leave-on dermal exposure is 0.25% in "other" eye makeup preparations.

The in vitro dermal penetration rate of Diacetone Alcohol (25 mg/cm²) was studied in human cadaver skin. Skin penetration (amount of test substance found in the skin) was 0.04, 0.15, and 5.71% of the dose after 10 min, 60 min, and 24 h, respectively. The plasma pharmacokinetic profile was studied in 9 male Sprague-Dawley rats given Diacetone Alcohol (5.81 g) mixed with corn oil (18.25 g) via gavage. An initial plasma concentration peak at 4.40 mmol/l was reached 1 h post-dosing, but the maximum concentration was observed 6 h after post-dosing, indicating a prolonged absorption phase.

The dermal LD₅₀ in Wistar rats was > 1875 mg/kg bw; this dose was applied for 24 h using an occlusive patch. In rabbits, the dermal LD₅₀ was reported to be 14.5 ml/kg in one study (occlusive 24-h patch), and > 13,630 mg/kg bw in another study (details not provided). Several acute oral toxicity studies were performed with Diacetone Alcohol. The lowest LD₅₀s reported for mice, rats, and rabbits were 3950, 2520, and 4653 mg/kg bw, respectively. An acute inhalation toxicity study was performed in Wistar rats exposed to aerosolized Diacetone Alcohol (7.6 mg/l) for 4 h.² The inhalation maximum tolerable concentration (LC₀) of Diacetone Alcohol was reported to be greater than 7.6 mg/l.

In a 30-d oral toxicity study, 10 albino rats were given Diacetone Alcohol in drinking water at doses of 0, 10, 40 or 130 mg/kg bw/d. No deaths occurred throughout the study. In one rat dosed with 40 mg/kg bw/d, cloudy swelling and degeneration of renal tubular epithelium was noted. No adverse effects were reported in any rats at the 10 mg/kg bw/d dose level. In a combined repeated dose toxicity study with a reproduction/developmental toxicity screening test performed in SD(Crj:CD(SD)) SPF rats, groups of 10 rats/sex were treated with Diacetone Alcohol in water via gavage at doses of 30, 100, 300, or 1000 mg/kg bw/d. Males were treated for 44 d while females were treated for 41 - 45 d. Treated males and females were mated, and the F1 and parent generations were evaluated. Signs of toxicity, such as increases in organ weights and abnormalities in kidney tissues, were observed in animals given high doses of the test substance. In a 13-wk oral toxicity study, Sprague-Dawley rats were given Diacetone Alcohol in corn oil via gavage once daily. Fifteen animals/sex were given 0 or 600 mg/kg bw/d, and 10 animals/sex were given 25 or 150 mg/kg bw/d. In females, mean red blood cell counts were statistically significantly decreased at 150 and 600 mg/kg bw/d when compared with controls. Lower total white blood cell and lymphocyte counts were also noted at the highest dose in females. In the kidneys of male rats in the 25, 150, and 600 mg/kg bw/d dose levels, there were increased incidences and severity of tubular hyaline droplets, tubular basophilia, and granular casts, which correlated with increased kidney weights.

The potential inhalation toxicity of undiluted Diacetone Alcohol was evaluated in Wistar rats (12/sex/group). Rats up to 4500 mg/m³ of the test substance for 6 h/d, 5 d/wk, for 6 wk. No clinical signs of toxicity were noted during the first 4 wk of exposure. Decreases in body weight and abnormalities in the kidneys were observed in animals treated with a high concentration of the test substance.

A prenatal developmental toxicity study was performed in mated female Sprague-Dawley rats (24/group). Diacetone Alcohol in corn oil was given to the test animals at doses of up to 1000 mg/kg/d on days 6 - 20 post-coitum. No toxic effects were noted in offspring. The NOAEL for maternal parameters was considered to be 1000 mg/kg/d, and the NOAEL for embryo-fetal development was considered to be 1000 mg/kg/d. A different study was performed in order to evaluate the reproductive/developmental toxicity of Diacetone Alcohol (up to 1000 mg/kg bw/d) in SD(Crj:CD(SD)) SPF rats (10/sex/group). Males were treated for 44 d while females were treated for 41 - 45 d (before and throughout pregnancy). Treated males and females were mated, and the F1 and parent generations were evaluated. The NOAEL for parental systemic toxicity was considered to be 100 mg/kg/d and the NOAEL for reproductive function in males and females, as well as for development of offspring, was considered to be 300 mg/kg bw/d. The possible reproductive effects on Diacetone Alcohol (up to 600 mg/kg/d) were evaluated in Sprague-Dawley rats via a sperm analysis and monitoring of estrous cycles. At the end of the treatment period, the number of cycles measured in female animals during a period of 21 d in the high dose group was slightly lower than in the control group. At the highest dose level, lower mean epididymal sperm counts were observed compared to controls, however, a relationship with the test item was considered to be unlikely in view of the low magnitude, the large standard deviations, the absence of microscopic finding in the testis and epididymis, and because individual values are comparable to what can be observed in Sprague-Dawley rat laboratory conditions.

Diacetone Alcohol was negative in multiple Ames tests performed at up to 10,000 µg/plate, with and without metabolic activation. Diacetone Alcohol was also evaluated in a yeast mitotic conversion assay (up to 5 mg/ml), and a chromosome assay (up to 4000 µg/ml). Metabolic activation was used in yeast mitotic assay, but was not used in the chromosome assay. The test substance did not induce reverse gene mutation in bacteria or mitotic gene conversion in yeast, however, in the rat liver chromosome assay, a small increase in chromatid damage was observed within the concentration range of 2000 - 4000

µg/ml. A mouse lymphoma assay performed on Diacetone Alcohol at up to 10,000 µg/plate with and without metabolic activation yielded negative results.

The irritation potential of undiluted Diacetone Alcohol to intact and abraded skin was evaluated in New Zealand white rabbits (3/sex). After a 24-h application under an occlusive patch, slight, transient erythema was observed in 3 animals with abraded skin, and no irritation was observed in animals with intact skin. In a different study, Diacetone Alcohol was brushed on the ears of rabbits, once per day, for 10 d. No irritation was observed. Similarly, no irritation was reported when guinea pigs were exposed to Diacetone Alcohol on the back, once per day, for 10 d. In a human study, no itching or irritation was reported when a coin-sized amount of Diacetone Alcohol was placed on the back of the hands of volunteers.

A guinea pig maximization test was performed using Dunkin-Hartley guinea pigs (10/sex). Undiluted Diacetone Alcohol was used during the epicutaneous induction and challenge exposure. No cutaneous reactions attributable to the sensitization potential of Diacetone Alcohol were observed in the test animals.

Undiluted Diacetone Alcohol (0.1 ml) was placed in the eyes of 3 rabbits (strain not stated) to observed potential eye irritation. Slight to moderate conjunctival irritation, slight iritis, and slight to mild corneal opacity was observed. All effects were fully reversible. In a different study, albino rabbit eyes were treated with 0.005 ml of undiluted Diacetone Alcohol. On a scale of 1 - 10, Diacetone Alcohol was reported to cause grade 5 injury. Ocular irritation was apparent in twelve male and twelve females exposed to vaporized Diacetone Alcohol in a concentration of 100 ppm for 15 min.

Potential respiratory irritation from Diacetone Alcohol was evaluated in humans (12/sex). Subjects were exposed to vaporized Diacetone Alcohol in a concentration of 100 ppm for 15 min. The majority of the subjects found the odor unpleasant at 100 ppm, complained of an unpleasant taste, and irritation to nose and throat. It was concluded that Diacetone Alcohol is irritating to the respiratory tract.

DRAFT DISCUSSION

[Please note, this discussion is in draft form and will be modified following the meeting.]

Diacetone Alcohol is a beta-hydroxy ketone that is reported to be used as a fragrance ingredient and solvent in cosmetic ingredients. The Panel found that the systemic toxicity data, including acute and chronic toxicity studies, developmental and reproductive studies, and dermal and sensitization studies, in this report were sufficient. The Panel mitigated the need for carcinogenicity data due to multiple negative genotoxicity assays.

CONCLUSION

To be determined.

TABLES**Table 1. Chemical Properties**

Property	Value	Reference
Physical Form	Liquid	5
Color	Colorless	5
Odor	Faint, minty odor	5
Molecular Weight (g/mol)	116.16	27
Density (g/ml @ 25 °C)	0.94	15
Vapor pressure (mmHg @ 25 °C)	0.97	28
Vapor Density (mmHg)	4	29
Melting Point (°C)	-43.89	15
Boiling Point (°C)	167.78	5
Water Solubility	Miscible	6
log K _{ow}	1.03	30

Table 2. Frequency (2021) and concentration (2019) of use of Diacetone Alcohol^{10,11}

	# of Uses	Conc of Use (%)
Totals*	107	0.00029 – 9.2
<i>Duration of Use</i>		
<i>Leave-On</i>	106	0.00029 – 0.84
<i>Rinse-Off</i>	1	0.00076 – 9.2
<i>Diluted for (Bath) Use</i>	NR	NR
<i>Exposure Type</i>		
Eye Area	NR	0.00099 – 0.25
Incidental Ingestion	NR	NR
Incidental Inhalation-Spray	NR	NR
Incidental Inhalation-Powder	NR	0.0031 ^a
Dermal Contact	NR	0.00094 – 0.25; 9.2 [#]
Deodorant (underarm)	NR	NR
Hair - Non-Coloring	NR	0.00029 – 0.0011
Hair-Coloring	NR	0.014
Nail	107	0.1 – 0.84
Mucous Membrane	NR	NR
Baby Products	NR	0.00094 – 0.0011

*Because each ingredient may be used in cosmetics with multiple exposure types, the sum of all exposure types may not equal the sum of total uses.

“razor lubricant strip”

^a It is possible these products are powders, but it is not specified whether the reported uses are powders

NR – no reported use

Table 3. Acute toxicity studies of Diacetone Alcohol

Animals	No./Group	Concentration/Dose/Protocol	LD₅₀/Results	Reference
DERMAL				
Wistar rats	6/sex	1875 mg/kg bw undiluted Diacetone Alcohol placed on skin under occlusive patch for 24 h; animals observed for 14-21 d post-dosing, in accordance with OECD TG 402	No reactions or clinical signs of toxicity observed; LD ₀ was reported to be greater than 1875 mg/kg bw	²
rabbits (strain not reported)	6/sex	Draize assay; undiluted Diacetone Alcohol was placed on the skin, under an occlusive patch, for 24 h; amount placed on skin not stated	LD ₅₀ was reported to be 14.5 ml/kg bw; there was no skin injury beyond erythema followed by shallow scaling	²
rabbits (strain not reported)	NR	Up to 13,630 mg/kg bw; no other details reported	LD ₅₀ reported to be greater than 13,630 mg/kg bw	³
ORAL				
mice (strain not specified)	NR	NR	LD ₅₀ reported to be 3950 mg/kg bw	³
Wistar rats	6/sex/group	1880, 2369, 3002, 3760, 5969 mg/kg bw administration via gavage; animals observed for 14 d after dosing, in accordance with OECD TG 401	Two out of the 12 animals administered 2369 mg/kg bw of the test substance died over a period of 14 d. All animals given 1880 mg/kg bw of the test substance survived the test period. Within a few hours of dosing, the rats were lethargic and displayed piloerection. One d after administration, animals were ataxic, and at high dose levels, comatose. The oral LD ₅₀ value of Diacetone Alcohol was determined to be 3002 mg/kg bw.	²
Sherman rats (male)	6/sex/group	Animals were dosed via gavage; in accordance with OECD TG 401; specific dosing not stated	LD ₅₀ reported to be 4000 mg/kg bw; death was prompt and due to narcosis; survivors gained weight well	²
rats (strain not specified)	NR	NR	LD ₅₀ reported to be 2520 mg/kg	¹⁷
rats (strain not specified)	NR	NR	LD ₅₀ reported to be 4000 mg/kg bw	³
rabbits (strain not specified)	NR	NR	LD ₅₀ reported to be 4653 mg/kg bw	³
INHALATION				
Wistar rats	5/sex	Rats exposed to test substance in an amount of 7.6 mg/l for 4 h; whole body exposure. Animals were observed for 14 d following exposure. Performed in accordance with OECD TG 402.	No animals died and no symptoms of toxicity were noted during the duration of the study or 14-d observation period. The inhalation maximum tolerable concentration (LC ₀) of Diacetone Alcohol was reported to be greater than 7.6 mg/l.	²

NR = Not Reported

Table 4. Genotoxicity studies of Diacetone Alcohol

Concentration/Dose	Vehicle	Test System	Procedure	Results	Reference
0, 313, 625, 1250, 2500, and 5000 µg/plate	Water	<i>S. typhimurium</i> TA98, TA100, TA1535, TA1537 and <i>E. coli</i> strain WP2 uvr A	Ames test performed with and without metabolic activation	Non-mutagenic	²
100 – 10,000 µg/plate	Water	<i>S. typhimurium</i> TA98, TA100, TA1535, TA1537, and TA1538	Ames test performed with and without metabolic activation	Non-mutagenic	²⁰
Up to 4000 µg/plate	Water	<i>S. typhimurium</i> strains TA1538, TA98, and TA100	Ames test performed with metabolic activation	Non-mutagenic	²¹
100 – 10,000 µg/plate	NR	Mouse lymphoma L5178Y (tk+/tk-) cells	Mouse lymphoma assay performed with and without metabolic activation	Non-mutagenic	²²
Up to 5 mg/ml	Water	<i>Sacc. cerevisiae</i> JD1	Yeast mitotic assay performed with metabolic activation	Non-mutagenic	²¹
Up to 4000 µg/ml	Water	Rat liver (RL ₄) cells	Chromosome assay performed without metabolic activation	A small increase in chromatid damage was observed within the concentration range of 2000 – 4000 µg/ml.	²¹

REFERENCES

1. Nikitakis J, Kowcz A. *wINCI: International Cosmetic Ingredient Dictionary and Handbook*. <http://webdictionary.personalcarecouncil.org/jsp/Home.jsp>. Washington, DC: Personal Care Products Council. Last Updated: 2019. Accessed: October 30, 2019.
2. European Chemicals Agency (ECHA). 4-hydroxy-4-methylpentan-2-one. <https://echa.europa.eu/registration-dossier/-/registered-dossier/13357>. Last Updated: 2019. Accessed: November 5, 2019.
3. Organisation of Economic Cooperation and Development (OECD). SIDS Initial Assessment Report for 10th SIAM. Japan 1999. http://www.eeaa.gov.eg/cmuic/cmuic_pdfs/generalpub/Diacetone%20Alcohol.pdf. Accessed November 15, 2019.
4. Chemical Entities of Biological Interest (ChEBI). ChEBI : 55381 - diacetone alcohol. <https://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:55381>. Last Updated: March 11, 2014. Accessed: November 5, 2019.
5. The National Institute for Occupational Safety and Health (NIOSH). NIOSH Pocket Guide to Chemical Hazards: Diacetone Alcohol <https://www.cdc.gov/niosh/npg/npgd0178.html>. Last Updated: 2019. Accessed: October 30, 2019.
6. O'Neil MJ, Heckelman PE, Dobbelaar PH, Roman KJ, Kenny CM, Karaffa LS. *The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals*. 15 ed. New Jersey: The Royal Society of Chemistry; 2013.
7. SEINet Arizona - New Mexico Chapter. *Achnatherum robustum* <http://swbiodiversity.org/seinet/taxa/index.php?taxon=2144>. Last Updated: 2019. Accessed: November 15, 2019.
8. Thotla S, Agarwal V, Mahajani SM. Simultaneous production of diacetone alcohol and mesityl oxide from acetone using reactive distillation. *Chemical Engineering Science*. 2007;62(18-20):5567-5574.
9. Conant JB, Tuttle N. Diacetone Alcohol [2-Pentanone, 4-hydroxy-4-methyl-]. *Organic Synthesis, Coll.* 1921;1:45.
10. US Food and Drug Administration (FDA) Center for Food Safety & Applied Nutrition (CFSAN). 2021. Voluntary Cosmetic Registration Program - Frequency of Use of Cosmetic Ingredients. Obtained under the Freedom of Information Act from CFSAN; requested as "Frequency of Use Data" January 4, 2021; received January 21, 2021. College Park, MD.
11. Personal Care Products Council. 2020. Concentration of Use by FDA Product Category: Diacetone Alcohol. (Unpublished data submitted to Personal Care Products Council on January 16, 2020.)
12. European Commission. CosIng database; following Cosmetic Regulation No. 1223/2009. <http://ec.europa.eu/growth/tools-databases/cosing/>. Last Updated: 2016. Accessed: December 17, 2019.
13. Monument Chemical. Technical Product Information: Diacetone Alcohol (DAA). https://monumentchemical.com/uploads/files/TDS/DAA_-_TDS.pdf. Last Updated: 2018. Accessed: November 14, 2019.
14. Sheftel VO. *Indirect Food Additives and Polymers: Migration and Toxicology*. 1 ed. Boca Raton, London: Lewis Publishers; 2000.
15. Occupational Safety and Health Administration (OSHA) OOSD. Diacetone Alcohol (4-Hydroxy-4-Methyl-2-Pentanone). <https://www.osha.gov/chemicaldata/chemResult.html?RecNo=176>. Last Updated: 2019. Accessed: October 30, 2019.
16. Fasano WJ, McDougal JN. In vitro dermal absorption rate testing of certain chemicals of interest to the Occupational Safety and Health Administration: summary and evaluation of USEPA's mandated testing. *Regul Toxicol Pharmacol*. 2008;51(2):181-194.
17. Sutto T. *Prioritization of the Oral (Ingestive) Hazard of Industrial Chemicals*. Washington, DC: Naval Research Laboratory; 2011.

18. World Health Organization and Food and Agriculture Organization of the United Nations. Safety Evaluation of Certain Food Additives and Contaminants Prepared by the Seventy-third meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). Geneva, Switzerland. 2011.
<http://www.inchem.org/documents/jecfa/jecmono/v64je01.pdf>. Accessed November 13, 2019.
19. Butterworth STG, Clark DG, Roderick HR. The inhalation toxicity of diacetone alcohol following six week's exposure to rats. Group Research Report TLGR.80.029. London: Shell Research Limited;1980.
20. U.S. National Library of Medicine TTDN. CCRIS: 4-Hydroxy-4-Methyl-2-Pentanone. <https://toxnet.nlm.nih.gov/>. Bethesda, Maryland. Last Updated: 2009. Accessed: November 13, 2019.
21. Brooks TM, Meyer AL, Hutson DH. The genetic toxicology of some hydrocarbon and oxygenated solvents. *Mutagenesis*. 1988;3(3):227-232.
22. Seifried HE, Seifried RM, Clarke JJ, Junghans TB, San RHC. A Compilation of Two Decades of Mutagenicity Test Results with the Ames *Salmonella typhimurium* and L5178Y mouse Lymphoma Cell Mutation Assays. *Chem Res Toxicol*. 2006;19(5):627-644.
23. BASF Corporation. Letter from BASF Corp to US EPA RE: Reporting of Health and Safety Information on Dimethylacetamide, Dimethylaniline, Cyclohexanol, and Diacetone Alcohol with Attachments, Dated 12/14/1995.
24. ELF Atochem North America Inc. CIDT. Skin sensitization test in guinea pigs (maximization method of Magnusson, B. and Kligman, A.M.) of diacetone alcohol, with cover letter dated 1/27/1998. (Submission to the U.S. Environmental Protection Agency.)
25. Carpenter CP, Smyth HF. Chemical burns of the rabbit cornea. *Am J Ophthalmol*. 1946;29(11):1363-1372.
26. Silverman L, Schulte HF, First WW. Further studies on sensory response to certain industrial solvent vapors. *J Ind Hyg Toxicol*. 1946;28(1):262-266.
27. National Center for Biotechnology Information. PubChem Compound Database. Diacetone Alcohol, CID=31256. <https://pubchem.ncbi.nlm.nih.gov/compound/Diacetone-alcohol#section=Chemical-and-Physical-Properties>. Last Updated: 2019. Accessed: October 30, 2019.
28. Sunshine I. *CRC Handbook of Analytical Toxicology*. Cleveland, Ohio: Chemical Rubber Co.; 1969.
29. Budavari S. *The Merck Index - Encyclopedia of Chemicals, Drugs and Biologicals*. Rahway, NJ: Merck and Co, Inc.; 1989.
30. Monument Chemical. Diacetone Alcohol Safety Data Sheet according to Federal Register/Vol. 77 No. 58. 2018. [https://monumentchemical.com/uploads/files/SDS/DAA-SDS%20\(US\)-NEW.pdf](https://monumentchemical.com/uploads/files/SDS/DAA-SDS%20(US)-NEW.pdf).

2021 FDA VCRP – Diacetone Alcohol

Basecoats and Undercoats	6
Nail Polish and Enamel	94
Nail Polish and Enamel Removers	1
Other Manicuring Preparations	6

Total Uses: 107