
Safety Assessment of Hexa/Penta-Hydric Alcohols as Used in Cosmetics

Status: Draft Report for Panel Review
Release Date: March 15, 2019
Panel Meeting Date: April 8-9, 2019

The 2019 Cosmetic Ingredient Review Expert Panel members are: Chair, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; Ronald A. Hill, Ph.D.; Curtis D. Klaassen, Ph.D.; Daniel C. Liebler, Ph.D.; James G. Marks, Jr., M.D., Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. The CIR Executive Director is Bart Heldreth, Ph.D. This safety assessment was prepared by Priya Cherian, Scientific Analyst/Writer.

Procedure column for all studies in this table. The references for this study are stated as "12, 12, 32".

It should be made clear that the study in which rats were fed diets containing 10% Mannitol for 104-107 weeks was a control group for a study on erythritol (reference 42).

Were the number of benign "thyomas" (needs to be corrected to "thymomas") significantly greater in treated rats (reference 27)?

Table 6, Sorbitol - Was this study on Sorbitol really included in reference 37 (the thesis on Mannitol)?